

CHARACTERISTICS OF BARLEY VARIETIES

-----DISEASE RESISTANCE-----

VARIETY OR SELECTION OR BRAND-VARIETY	LEAF RUST	POWDERY MILDEW	SCALD	LOOSE SMUT	SPOT BLOTCH
BOONE	GOOD	FAIR	GOOD	POOR	FAIR
CALLAO	GOOD	GOOD	GOOD	-	GOOD
DOYCE	GOOD	-	-	-	-
NOMINI	FAIR	-	GOOD	-	GOOD
PRICE	FAIR	-	GOOD	-	GOOD
THOROUGHbred	FAIR	-	-	-	-

-----PRODUCTION CHARACTERISTICS-----

VARIETY OR SELECTION OR BRAND-VARIETY	HEAD* TYPE	MATURITY**	STRAW STRENGTH	TEST WEIGHT
BOONE	2	MED/LATE	GOOD	GOOD
CALLAO	3	MEDIUM	FAIR	GOOD
DOYCE (HULLESS)	3	MEDIUM	GOOD	HIGH
NOMINI	2	MEDIUM	GOOD	FAIR
PRICE	3	MEDIUM	GOOD	GOOD
THOROUGHbred	3	MEDIUM	GOOD	GOOD

*1=AWNLESS, 2=SHORT AWNED, 3=AWNED

**Early maturity would be an average anticipated harvest date of May 15-20 from an October 1-10 seeding date.
 Medium maturity would be an average anticipated harvest date of May 20-25 from an October 1-10 seeding date.
 Late maturity would be an average anticipated harvest date of May 25-June 1 from an October 1-10 seeding date