

## CHE 307 Display 1 (Valves)

02/12/2020

Valve, gate, ½-inch threaded, brass, non-rising stem



Valve, angle, globe, ½-inch, threaded, brass



Valve, swing check, ½-inch, threaded, brass



Cock, 1-way, 3/4-inch, threaded, brass



Valve, sight gage, 1/2-inch male threaded x 1/2-inch O.D. glass tube, brass



Valve, pressure relief, 3/4-inch male threaded, brass



Valve, solenoid, 3/8-inch threaded, brass



Valve, needle, 1/4-inch threaded, 316 SS



Petcock, 3/8-inch male threaded, brass



Gate for non-rising stem gate valve



Valve, water pressure relief, 1/2-inch threaded, brass



Valve, globe, 3/4-inch threaded, brass



Valve, quick opening, 1 ½-inch, heavy type, threaded, brass.



Valve, globe, lock type, ½-inch, union slip-welded ends, brass



Valve, butterfly, 1-inch, threaded, stainless steel



Valve, diaphragm flow control, 1-inch flanged ends, Teflon diaphragm, glass lined



Hose bib, 1/2-inch sweat pipe to 5/8-inch male hose connections, brass



Valve, globe, angle type, 1/4-inch, threaded, with male union



Valve, gate, 3/8-inch, screwed ends, clamp type, all steel



Valve, ball check, 2-inch, threaded, hard rubber

