

---

# CHEMICAL ENGINEERING LABORATORY PERSONNEL SAFETY TRAINING RECORD

## A) PERSONEL INFORMATION

Name: \_\_\_\_\_

Status: \_\_\_\_\_

Advisor/PI: \_\_\_\_\_

Primary Lab(s): \_\_\_\_\_

## B) SAFETY TRAINING

### -Departmental

**Compressed Gas Cylinder and Electrical Safety Videos:**

Employee Initials: \_\_\_\_\_ Safety Technician: \_\_\_\_\_ Date: \_\_\_\_\_

**The Laboratory Standard (Chemical Hygiene Plan) Employee Initials: \_\_\_\_\_**

**Safety Articles Employee Initials: \_\_\_\_\_**

**Safety Checklist (Attachment D, includes Lab Specific Orientation)**

Employee Initials: \_\_\_\_\_ Safety Technician: \_\_\_\_\_ Date: \_\_\_\_\_

### -EH&S (Attach Proof of Completion)

**Chemical Hygiene:**

Employee Initials: \_\_\_\_\_ Safety Technician: \_\_\_\_\_ Date: \_\_\_\_\_

**Hazardous Waste Management:**

Employee Initials: \_\_\_\_\_ Safety Technician: \_\_\_\_\_ Date: \_\_\_\_\_

**Additional Training:**

Title: \_\_\_\_\_

Employee Initials: \_\_\_\_\_ Safety Technician: \_\_\_\_\_ Date: \_\_\_\_\_

**Additional Training:**

Title: \_\_\_\_\_

Employee Initials: \_\_\_\_\_ Safety Technician: \_\_\_\_\_ Date: \_\_\_\_\_

## C) PI NOTIFICATION

Safety Training is complete, adequate and meets the Clemson Hazard Communication Plan for the labs listed above.

Employee Initials: \_\_\_\_\_ PI: \_\_\_\_\_ Date: \_\_\_\_\_