

# 2008 EDISTO FORAGE BULL TEST

## Yearling Ultrasound Report

| Tag No.      | Sire                        | Tattoo | HPS | EPD's |      |       |      | Adj. 365 Yearling Ultrasound |       |       |       |      |       |      |       |
|--------------|-----------------------------|--------|-----|-------|------|-------|------|------------------------------|-------|-------|-------|------|-------|------|-------|
|              |                             |        |     | BWT   | WWT  | YWT   | Milk | %IMF                         | Ratio | REA   | Ratio | Fat  | Ratio | Rump | Ratio |
| <b>ANGUS</b> |                             |        |     |       |      |       |      |                              |       |       |       |      |       |      |       |
| 1            | Bon View New Design 878     | 22     | P   | 2.9   | 42.0 | 77.0  | 28.0 | 2.75                         | 80    | 13.10 | 103   | 0.21 | 112   | 0.24 | 106   |
| 2            | Bon View New Design 878     | 23     | P   | 0.4   | 41.0 | 79.0  | 26.0 | 2.98                         | 87    | 11.40 | 89    | 0.15 | 80    | 0.18 | 79    |
| 3            | Northern Improvement 4480   | 24     | P   | 0.9   | 42.0 | 76.0  | 23.0 | 3.52                         | 102   | 12.10 | 95    | 0.18 | 96    | 0.22 | 97    |
| 4            | Bon View New Design 208     | 7257   | P   | 1.3   | 50.0 | 91.0  | 38.0 | 3.50                         | 102   | 13.40 | 105   | 0.14 | 75    | 0.20 | 88    |
| 5            | Boyd New Day 8005           | 7241   | P   | 3.5   | 43.0 | 82.0  | 22.0 | 3.37                         | 98    | 12.50 | 98    | 0.15 | 80    | 0.22 | 97    |
| 6            | Connealy Onward             | 7251   | P   | 2.2   | 48.0 | 102.0 | 25.0 | 3.10                         | 90    | 11.40 | 89    | 0.18 | 96    | 0.16 | 70    |
| 7            | GAR Preeminent              | 7249   | P   | 2.4   | 45.0 | 92.0  | 21.0 | 3.43                         | 100   | 13.50 | 106   | 0.19 | 101   | 0.20 | 88    |
| 8            | Gambles Hot Rod             | 7248   | P   | 4.9   | 55.0 | 106.0 | 25.0 | 3.26                         | 95    | 13.50 | 106   | 0.21 | 112   | 0.24 | 106   |
| 9            | Baldrige Kaboom K243 KCF    | 7247   | P   | 1.9   | 50.0 | 104.0 | 11.0 | 2.95                         | 86    | 12.50 | 98    | 0.17 | 91    | 0.19 | 84    |
| 10           | Leachman Saugahatchee 3000C | 7250   | P   | 3.2   | 37.0 | 76.0  | 20.0 | 3.03                         | 88    | 13.00 | 102   | 0.22 | 117   | 0.27 | 119   |
| 11           | SVF Bandolier               | 7245   | P   | 3.6   | 46.0 | 86.0  | 30.0 | 4.53                         | 132   | 12.80 | 100   | 0.20 | 107   | 0.19 | 84    |
| 12           | Twin Valley Precision E161  | 7256   | P   | 3.7   | 45.0 | 90.0  | 25.0 | 2.82                         | 82    | 11.80 | 92    | 0.16 | 85    | 0.25 | 110   |
| 13           | WCC Special Design L309     | 7244   | P   | 2.9   | 47.0 | 81.0  | 23.0 | 3.84                         | 112   | 12.70 | 100   | 0.17 | 91    | 0.27 | 119   |
| 14           | Hyline Right Time 338       | 121    | P   | 3.7   | 57.0 | 99.0  | 33.0 | 3.45                         | 100   | 14.30 | 112   | 0.24 | 128   | 0.32 | 141   |
| 15           | SAV 8180 Traveler 004       | T03    | P   | 3.9   | 55.0 | 102.0 | 23.0 | 3.17                         | 92    | 13.20 | 103   | 0.16 | 85    | 0.21 | 92    |
| 16           | BC Matrix 4132              | T2     | P   | 1.6   | 50.0 | 89.0  | 18.0 | 3.24                         | 94    | 12.20 | 96    | 0.21 | 112   | 0.26 | 114   |
| 17           | BC Matrix 4132              | T5     | P   | 1.6   | 50.0 | 89.0  | 18.0 | 3.24                         | 94    | 13.80 | 108   | 0.18 | 96    | 0.20 | 88    |
| 18           | B/R Special Blend 439       | T129   | P   | 3.4   | 50.0 | 94.0  | 21.0 | 3.47                         | 101   | 13.30 | 104   | 0.32 | 171   | 0.28 | 123   |
| 19           | Lemmon Newline C804         | A103   | P   | 2.2   | 46.0 | 84.0  | 25.0 | 3.62                         | 105   | 12.00 | 94    | 0.23 | 123   | 0.21 | 92    |
| 20           | BT Ultravox 297E            | A104   | P   | 3.8   | 47.0 | 83.0  | 16.0 | 3.30                         | 96    | 11.80 | 92    | 0.16 | 85    | 0.21 | 92    |
| 21           | Mull Meadow Righttime 1552  | 1597   | P   | 3.4   | 40.0 | 70.0  | 22.0 | 3.12                         | 91    | 10.40 | 82    | 0.16 | 85    | 0.21 | 92    |
| 22           | GAR Exaltation 3144         | 2337   | P   | 2.1   | 48.0 | 83.0  | 23.0 | 3.61                         | 105   | 11.70 | 92    | 0.23 | 123   | 0.31 | 136   |
| 23           | GAR Retail Product          | T97    | P   | 2.9   | 45.0 | 84.0  | 24.0 | 2.78                         | 81    | 13.00 | 102   | 0.20 | 107   | 0.23 | 101   |
| 24           | GAR Retail Product          | T113   | P   | 2.9   | 45.0 | 84.0  | 24.0 | 3.85                         | 112   | 13.80 | 108   | 0.14 | 75    | 0.14 | 62    |
| 25           | GAR Retail Product          | T116   | P   | 3.0   | 43.0 | 84.0  | 26.0 | 4.11                         | 119   | 11.90 | 93    | 0.15 | 80    | 0.17 | 75    |
| 26           | Bon View New Design 208     | T123   | P   | 3.6   | 52.0 | 97.0  | 35.0 | 4.28                         | 124   | 13.20 | 103   | 0.23 | 123   | 0.27 | 119   |
| 27           | Bon View New Design 1407    | T114   | P   | 3.5   | 39.0 | 75.0  | 28.0 | 3.13                         | 91    | 12.20 | 96    | 0.16 | 85    | 0.25 | 110   |
| 29           | Bon View New Design 1407    | D28    | P   | 2.6   | 41.0 | 80.0  | 26.0 | 3.73                         | 108   | 12.30 | 96    | 0.19 | 101   | 0.23 | 101   |
| 30           | GAR Solution                | D36    | P   | -0.5  | 44.0 | 86.0  | 27.0 | 4.22                         | 123   | 12.20 | 96    | 0.22 | 117   | 0.28 | 123   |
| 31           | GAR Solution                | D27    | P   | 1.2   | 46.0 | 87.0  | 26.0 | 3.36                         | 98    | 13.70 | 107   | 0.12 | 64    | 0.16 | 70    |
| 32           | Rito 2 878 of 2536 BVND 878 | 7304   | P   | 2.3   | 45.0 | 81.0  | 26.0 | 3.18                         | 92    | 13.20 | 103   | 0.20 | 107   | 0.24 | 106   |
| 33           | Mytty In Focus              | 7306   | P   | 0.3   | 45.0 | 86.0  | 29.0 | 2.79                         | 81    | 12.90 | 101   | 0.13 | 69    | 0.15 | 66    |
| 34           | Rito 2V1 of 2536 1407       | 7312   | P   | 3.0   | 48.0 | 92.0  | 29.0 | 4.51                         | 131   | 11.10 | 87    | 0.20 | 107   | 0.24 | 106   |
| 35           | Rito 2V1 of 2536 1407       | 7321   | P   | 3.0   | 48.0 | 92.0  | 29.0 | 3.28                         | 95    | 12.70 | 100   | 0.24 | 128   | 0.32 | 141   |
| 36           | GAR Predestined             | T731   | P   | 3.8   | 54.0 | 83.0  | 24.0 | 4.26                         | 124   | 12.20 | 96    | 0.15 | 80    | 0.18 | 79    |
| 37           | SAV 8180 Traveler 004       | T760   | P   | 2.7   | 50.0 | 85.0  | 23.0 | 3.20                         | 93    | 12.10 | 95    | 0.20 | 107   | 0.27 | 119   |
| 38           | GAR Predestined             | T761   | P   | 4.9   | 54.0 | 89.0  | 22.0 | 5.31                         | 154   | 12.10 | 95    | 0.15 | 80    | 0.18 | 79    |
| 39           | GAR Predestined             | T737   | P   | 3.0   | 47.0 | 83.0  | 23.0 | 2.92                         | 85    | 12.40 | 97    | 0.24 | 128   | 0.24 | 106   |
| 40           | Bon View New Design 878     | T701   | P   | 3.6   | 56.0 | 95.0  | 25.0 | 3.81                         | 111   | 11.40 | 89    | 0.14 | 75    | 0.21 | 92    |
| 42           | Basin Rainmaker P175        | 166    | P   | 2.2   | 51.0 | 97.0  | 21.0 | 3.97                         | 115   | 11.30 | 89    | 0.16 | 85    | 0.16 | 70    |
| 43           | Sitz Alliance 6595          | S170   | P   | 2.1   | 41.0 | 75.0  | 27.0 | 3.21                         | 93    | 13.20 | 103   | 0.37 | 197   | 0.50 | 220   |
| 44           | Sitz Alliance 6595          | S171   | P   | 2.8   | 47.0 | 85.0  | 24.0 | 3.91                         | 114   | 12.20 | 96    | 0.30 | 160   | 0.28 | 123   |
| 45           | BC Matrix 4132              | S174   | P   | 2.2   | 56.0 | 99.0  | 21.0 | 5.45                         | 158   | 11.60 | 91    | 0.18 | 96    | 0.22 | 97    |

# 2008 EDISTO FORAGE BULL TEST

## Yearling Ultrasound Report

| Tag No.                | Sire                        | Tattoo   | HPS | EPD's |      |       |      | Adj. 365 Yearling Ultrasound |       |       |       |      |       |      |       |
|------------------------|-----------------------------|----------|-----|-------|------|-------|------|------------------------------|-------|-------|-------|------|-------|------|-------|
|                        |                             |          |     | BWT   | WWT  | YWT   | Milk | %IMF                         | Ratio | REA   | Ratio | Fat  | Ratio | Rump | Ratio |
| 46                     | Woodhill Foresight          | T613     | P   | 1.8   | 54.0 | 94.0  | 28.0 | 3.16                         | 92    | 12.10 | 95    | 0.13 | 69    | 0.18 | 79    |
| 47                     | GAR Grid Maker              | 75       | P   | 5.2   | 52.0 | 103.0 | 17.0 | 2.41                         | 70    | 14.90 | 117   | 0.17 | 91    | 0.17 | 75    |
| 48                     | GAR Retail Product          | 76       | P   | 3.2   | 41.0 | 85.0  | 24.0 | 2.41                         | 70    | 14.30 | 112   | 0.17 | 91    | 0.21 | 92    |
| 49                     | GAR Retail Product          | 79       | P   | 2.4   | 50.0 | 85.0  | 24.0 | 3.73                         | 108   | 15.00 | 118   | 0.12 | 64    | 0.20 | 88    |
| 50                     | GAR Retail Product          | 80       | P   | 2.2   | 47.0 | 92.0  | 26.0 | 3.32                         | 96    | 14.20 | 111   | 0.18 | 96    | 0.17 | 75    |
| 51                     | GAR Predestined             | 78       | P   | 5.1   | 44.0 | 79.0  | 23.0 | 2.65                         | 77    | 13.30 | 104   | 0.17 | 91    | 0.19 | 84    |
| 52                     | B/R Destination 727-928     | 37       | P   | 2.9   | 54.0 | 99.0  | 27.0 | 4.13                         | 120   | 13.20 | 103   | 0.21 | 112   | 0.21 | 92    |
| 53                     | Rito 112 of 2536 Rito 616   | 31       | P   | 2.3   | 53.0 | 95.0  | 24.0 | 3.27                         | 95    | 11.40 | 89    | 0.17 | 91    | 0.20 | 88    |
| 54                     | Boyd On Target 1083         | TT01     | P   | 3.9   | 43.0 | 90.0  | 20.0 | 3.22                         | 94    | 11.70 | 92    | 0.20 | 107   | 0.30 | 132   |
| 55                     | GAR Integrity               | 77       | P   | 2.4   | 33.0 | 64.0  | 23.0 | 2.47                         | 72    | 13.70 | 107   | 0.15 | 80    | 0.19 | 84    |
| 56                     | GAR Integrity               | 57       | P   | 2.4   | 33.0 | 64.0  | 23.0 | 2.55                         | 74    | 13.40 | 105   | 0.19 | 101   | 0.22 | 97    |
| 57                     | SAV 8180 Traveler 004       | T314     | P   | 2.9   | 50.0 | 89.0  | 20.0 | 3.78                         | 110   | 13.30 | 104   | 0.18 | 96    | 0.27 | 119   |
| 58                     | Hyline Right Time 338       | T325     | P   | 2.2   | 51.0 | 92.0  | 27.0 | 4.12                         | 120   | 13.00 | 102   | 0.17 | 91    | 0.26 | 114   |
| 59                     | Hyline Right Time 338       | T388     | P   | 2.3   | 49.0 | 87.0  | 29.0 | 3.44                         | 100   | 13.80 | 108   | 0.23 | 123   | 0.30 | 132   |
| 60                     | Rito 2 878 of 2536 BVND 878 | T335     | P   | 0.6   | 44.0 | 81.0  | 22.0 | 3.92                         | 114   | 13.70 | 107   | 0.22 | 117   | 0.29 | 128   |
| 61                     | Rito 5622 of 3V25 Rito 112  | T416     | P   | 3.1   | 45.0 | 84.0  | 26.0 | 2.19                         | 64    | 12.60 | 99    | 0.18 | 96    | 0.14 | 62    |
| 62                     | Rito 5622 of 3V25 Rito 112  | T424     | P   | 3.0   | 46.0 | 85.0  | 30.0 | 3.87                         | 112   | 14.10 | 110   | 0.19 | 101   | 0.23 | 101   |
| 63                     | Rito 5622 of 3V25 Rito 112  | T433     | P   | 3.6   | 43.0 | 82.0  | 24.0 | 2.74                         | 80    | 13.60 | 107   | 0.12 | 64    | 0.17 | 75    |
| 61 bulls               |                             | Averages |     | 2.7   | 46.9 | 87.0  | 24.5 | 3.44                         |       | 12.76 |       | 0.19 |       | 0.23 |       |
| <b>BALANCER</b>        |                             |          |     |       |      |       |      |                              |       |       |       |      |       |      |       |
| 64                     | WCS New Design C24 878      | T92      | P   | -0.3  | 35.0 | 77.0  | 16.0 | 2.41                         | 99    | 11.40 | 95    | 0.10 | 67    | 0.09 | 53    |
| 65                     | WCS New Design C24 878      | T95      | P   | -0.3  | 30.0 | 69.0  | 20.0 | 2.45                         | 100   | 11.60 | 97    | 0.10 | 67    | 0.14 | 82    |
| 66                     | Partisover Anchor 948       | 703T     | P   | 0.2   | 40.0 | 82.0  | 17.0 | 2.41                         | 99    | 12.50 | 104   | 0.20 | 133   | 0.19 | 111   |
| 67                     | Partisover Anchor 948       | 705T     | P   | 1.2   | 37.0 | 78.0  | 17.0 | 2.02                         | 83    | 10.60 | 88    | 0.10 | 67    | 0.17 | 99    |
| 68                     | JBOB 4665M ET               | 708T     | P   | 1.9   | 48.0 | 85.0  | 24.0 | 2.22                         | 91    | 12.70 | 106   | 0.16 | 107   | 0.17 | 99    |
| 69                     | Leachman Right Time         | 712T     | P   | -0.2  | 42.0 | 88.0  | 22.0 | 2.06                         | 84    | 11.00 | 92    | 0.12 | 80    | 0.13 | 76    |
| 70                     | JBOB Carolina 5514P         | 709T     | P   | 0.5   | 35.0 | 72.0  | 20.0 | 2.59                         | 106   | 14.00 | 117   | 0.19 | 127   | 0.21 | 123   |
| 71                     | Leachman Right Time         | 707T     | P   | -0.2  | 42.0 | 88.0  | 22.0 | 3.20                         | 131   | 11.60 | 97    | 0.20 | 133   | 0.21 | 123   |
| 72                     | Leachman Right Time         | 706T     | P   | -0.2  | 42.0 | 88.0  | 22.0 | 2.62                         | 107   | 12.60 | 105   | 0.18 | 120   | 0.23 | 134   |
| 9 bulls                |                             | Averages |     | 0.3   | 39.0 | 80.8  | 20.0 | 2.44                         |       | 12.00 |       | 0.15 |       | 0.17 |       |
| <b>POLLED HEREFORD</b> |                             |          |     |       |      |       |      |                              |       |       |       |      |       |      |       |
| 73                     | THM Choice Domino 2015      | S367     | P   | 4.3   | 45.0 | 73.0  | 17.0 | 2.77                         | 104   | 11.00 | 96    | 0.14 | 79    |      |       |
| 74                     | THM Choice Domino 2015      | S418     | P   | 5.8   | 56.0 | 87.0  | 21.0 | 2.97                         | 112   | 10.95 | 95    | 0.17 | 96    |      |       |
| 75                     | FF Battle Plato H11 L551    | S402     | P   | 4.4   | 41.0 | 69.0  | 15.0 | 2.32                         | 87    | 10.89 | 95    | 0.19 | 107   |      |       |
| 76                     | FF 810 Victor Plato H11     | S420     | P   | 3.6   | 42.0 | 67.0  | 15.0 | 2.56                         | 96    | 13.17 | 114   | 0.21 | 118   |      |       |
| 4 bulls                |                             | Averages |     | 4.5   | 46.0 | 74.0  | 17.0 | 2.66                         |       | 11.50 |       | 0.18 |       |      |       |
| <b>RED ANGUS</b>       |                             |          |     |       |      |       |      |                              |       |       |       |      |       |      |       |
| 78                     | Andras Cherokee 3028        | T519     | P   | 0.0   | 15.0 | 23.0  | 10.0 | 3.06                         | 109   | 13.50 | 105   | 0.13 | 96    | 0.20 | 129   |
| 79                     | Bfck Cherokee Cnyn 4912     | T22      | P   | 0.0   | 38.0 | 65.0  | 18.0 | 2.56                         | 91    | 12.30 | 95    | 0.14 | 104   | 0.11 | 71    |
| 2 bulls                |                             | Averages |     | 0.0   | 26.5 | 44.0  | 14.0 | 2.81                         |       | 12.90 |       | 0.14 |       | 0.16 |       |
| <b>SIMMENTAL</b>       |                             |          |     |       |      |       |      |                              |       |       |       |      |       |      |       |
| 80                     | SVF/NJC Built Right N48     | T181     | P   | 0.8   | 36.6 | 56.8  | 5.2  | 3.09                         | 104   | 12.40 | 92    | 0.13 | 87    |      |       |
| 81                     | Circle T Antoinettes Star   | T185     | P   | -2.6  | 25.9 | 47.4  | 7.5  | 2.85                         | 96    | 14.50 | 108   | 0.17 | 113   |      |       |
| 2 bulls                |                             | Averages |     | -0.9  | 31.3 | 52.1  | 6.4  | 2.97                         |       | 13.45 |       | 0.15 |       |      |       |

# 2008 EDISTO FORAGE BULL TEST

## Yearling Ultrasound Report

| Tag No.         | Sire                    | Tattoo          | HPS | EPD's       |             |             |            | Adj. 365 Yearling Ultrasound |       |              |       |             |       |             |       |
|-----------------|-------------------------|-----------------|-----|-------------|-------------|-------------|------------|------------------------------|-------|--------------|-------|-------------|-------|-------------|-------|
|                 |                         |                 |     | BWT         | WWT         | YWT         | Milk       | %IMF                         | Ratio | REA          | Ratio | Fat         | Ratio | Rump        | Ratio |
| <b>SIMANGUS</b> |                         |                 |     |             |             |             |            |                              |       |              |       |             |       |             |       |
| 82              | BT Right Time 24J       | T183            | P   | 0.0         | 31.8        | 65.6        | 5.9        | 4.00                         | 120   | 12.87        | 94    | 0.26        | 108   |             |       |
| 83              | SVF/NJC Built Right N48 | T187            | P   | -1.2        | 18.5        | 29.0        | 4.7        | 2.68                         | 80    | 14.47        | 106   | 0.22        | 92    |             |       |
| <b>2 bulls</b>  |                         | <b>Averages</b> |     | <b>-0.6</b> | <b>25.2</b> | <b>47.3</b> | <b>5.3</b> | <b>3.34</b>                  |       | <b>13.67</b> |       | <b>0.24</b> |       |             |       |
| <b>GELBVIEW</b> |                         |                 |     |             |             |             |            |                              |       |              |       |             |       |             |       |
| 84              | BTI Extra 2106K ET      | T706            | P   | 0.0         | 40.0        | 71.0        | 9.0        | 3.03                         | 100   | 14.10        | 100   | 0.23        | 100   | 0.28        | 100   |
| <b>1 bulls</b>  |                         | <b>Averages</b> |     | <b>0.0</b>  | <b>40.0</b> | <b>71.0</b> | <b>9.0</b> | <b>3.03</b>                  |       | <b>14.10</b> |       | <b>0.23</b> |       | <b>0.28</b> |       |