

Index - Master Gardener's Training Manual

- 2,4-D herbicides, 92, 175, 191
- A
- Abelia
- dwarf (*Abelia grandiflora* cv. Sherwoodi), 294
 - glossy (*Abelia x grandiflora*), 301
 - pink (*Abelia x cv. Edward Goucher*), 301
- Abelmoschus, 384
- Abiotic diseases, 65, 72–74
- Acclimatization, 469–470
- Achillea, 410
- Actinomyces, 100, 115
- Adams needle (*Yucca filamentosa*), 289
- Aeration, 115
- lack of, 72–73, 448
 - of lawns, 448–449
- Aerosol pesticides, 86–87
- African violet, 473, 480
- Agapanthus, 400
- Ageratum, 384, 412
- Agricultural limestone. *see* Dolomitic limestone
- Air layering, 125, 283
- Ajuga, 283, 410
- Akebia, fiveleaf (*Akebia quinata*), 289
- Alcea, 410
- Alderflies, 58
- Allium, 400
- Allspice, Carolina (*Calycanthus floridus*), 316
- Almond
- flowering (*Prunus glandulosa*), 300
 - fruit trees, 260
- Aluminum sulfate, 12
- Alyssum, sweet, 384
- Amaranthus, 384
- Amaryllis (*Hippeastrum* cvs.), 402, 480
- American bittersweet (*Celastrus scandens*), 292
- Anemone, 400, 410
- Angiosperms, 27
- Anions, 6, 48
- Anisetree
- Florida (*Illicium floridanum*), 311
 - small (*Illicium parviflorum*), 311
- Annual flowering plants, 379–394
- container gardening with, 381
 - garden design with, 380
 - growing from seeds, 118*t*, 381–382
 - insects and diseases, 383–384, 534–537
 - maintenance care of, 382–383
 - planting, 380–382
 - quick reference chart, 393–394*t*
 - recommended plants, 384–389
 - for specific uses, 390–392*t*
- Annuals, 31, 379
- weeds, 79–80, 174–175
- Anthraco-nose, 69, 190, 251
- Ants, 57, 102
- Aphids (Plant lice), 57, 60, 479
- and sooty mold, 69
 - on vegetables, 180–181, 192
- Apples, 199–207
- diseases and insects, 206, 514–515
 - dwarf trees, 200, 202
 - fertilization of, 205–206
 - planting, 196, 200, 203
 - pruning, 203–205
 - variety selection, 197, 199–200, 201*t*
- Aquilegia, 410
- Arachnida, 52*t*, 59, 59*f. see also* Spiders
- Arborvitae, 372
- Armyworms, 460
- Artemisia, 410
- Arthropods, 51, 52*t*
- Aschelminthes, 51
- Asclepias, 410
- Ash, white (*Fraxinus americana*), 332
- Asparagus, 153–155, 498
- Aspidistra elatior*, 283
- Aster
- China (annual aster), 384
 - false, 413
 - perennial, 410–411
 - Stokes, 417
- Astilbe, 411
- Aucuba
- dwarf (*Aucuba japonica* cv. Nana), 294
 - Gold Dust Plant (*Aucuba Japonica* cv. Variegata), 301
 - Japanese (*Aucuba japonica*), 301
- Axil, 31
- Azalea (*Rhododendron*), 372, 480, 531–532. *see also* Rhododendron
- Glenn Dale hybrids, 301
 - Kaempferi hybrids, 301
 - Kurume hybrids, 294
 - Mollis hybrids, 306
 - native varieties, 316
 - Satsuki hybrids, 294
 - Southern Indian hybrids, 308
- B
- Babysbreath, 384, 412
- Bacillus thuringiensis* (*B.t.*), 179–180
- Bacterial diseases, 61, 66, 190–191
- Bacterial wilt of tomatoes, 190–191
- Bahiagrass, 425
- Baits, 87
- Baldcypress (*Taxodium distichum*), 336
- Balsam. *see* Impatiens
- Bamboo, 328–329. *see also* Nandina
- (Heavenly bamboo)
 - black (*Phyllostachys nigra*), 328
 - clump (*Bambusa multiplex*), 328
 - dwarf (*Sasa palmata*), 329
 - ground (*Sasa pumila*), 328–329
 - timber (*Phyllostachys bambusoides*), 328
 - yellow (*Phyllostachys aurea*), 328
- Banana, 251
- Banana shrub (*Michelia figo*), 313
- Baptisia, 411
- Barberry
- Chenault (*Berberis x chenaultii*), 294
 - Crimson Pigmy (*Berberis thunbergii* cv. Crimson Pigmy), 299
 - Hooker (*Berberis hookeri*), 308
 - Japanese (*Berberis thunbergii*), 306
 - Mentor (*Berberis x mentorensis*), 306
 - Sargent (*Berberis sargentiana*), 309
 - threespine (*Berberis triacanthophora*), 294
 - warty (*Berberis verruculosa*), 294
 - wintergreen (*Berberis julianae*), 302
- Basil, 384
- Baskets, hanging, 392, 488–490
- Bean beetle, Mexican, 182
- Bean leaf beetle, 182
- Beans, 155–157
- diseases of, 189–190, 499
 - insect pests, 180, 181, 182–183
- Beautyberry, 372
- Callicarpa dichotoma*, 299
 - American (*Callicarpa americana*), 307
- Beautybush (*Kolkwitzia amabilis*), 319
- Beebalm, 414
- Beech (*Fagus grandifolia*), 332
- Bees, 57, 160, 166
- Beetles, 56, 60, 61, 102
- Begonia
- tuberous, 400–401
 - wax (fibrous-rooted), 384
- Bells-of-Ireland, 384
- Beneficial insects. *see* Insects, beneficial
- Bermudagrass, 421–423, 466–468
- Biennials, 31, 80, 379
- Bill bugs, 459–460
- Biological pest controls, 76, 179, 458
- Biotic diseases, 65–66
- Birch, 372, 526
- European white (*Betula pendula*), 331
 - river (*Betula nigra*), 279, 331
- Bittersweet, American (*Celastrus scandens*), 292
- Bittersweet, evergreen (*Euonymus fortunei* cv. Vegetus), 296
- Black-eyed-susan, 384, 416
- Black-eyed-susan vine, 384
- Black walnut, 260
- Blackberry, 196, 231–237
- diseases and insects, 236–237, 518, 519
 - erect type, 235–236
 - trailing type, 233–235
 - variety selection, 198, 232*t*
- Blanket flower, 386, 412
- Blazing star, 413
- Bleedingheart, 412
- Blight, 67, 69
- early, 190
 - fire, 207, 210
 - pythium, 466
 - Rhizoctonia, 465–466
 - southern, 189, 190, 192
- Blister beetle, 187
- Bloodmeal, 19
- Blossom-end rot, 168, 173, 509
- Blue indigo, 411
- Blue-mist shrub (*Caryopteris x claudonensis*), 299
- Bluebell, Spanish. *see* Hyacinthoides
- Blueberries, 228–231
- diseases and insects, 518
 - maintenance care, 228–230
 - planting, 196, 230
 - pruning, 230–231

Index - Master Gardener's Training Manual

- Blueberries, 228–231 (*cont.*)
 variety selection, 198, 228
- Bluegrass, Kentucky, 421, 467
- Boltonia, 411
- Bonsai, 483
- Bordergrass. *see* Lirope; Mondo
- Boron deficiency, 13*t*, 16, 173
- Boxelder bugs, 57
- Boxwood, 372, 526
 common (*Buxus sempervirens*), 302
 dwarf (*Buxus sempervirens*
 cv. *Suffruticosa*), 295
 English (*Buxus sempervirens*
 cv. *Suffruticosa*), 295
 Harland (*Buxus harlandii*), 294–295
 Japanese (*Buxus microphylla* var.
japonica), 302
 Korean (*Buxus microphylla* var.
 Koreaana), 295
 tree (*Buxus sempervirens* cv.
Arborescens), 309
- Bradford pear (*Pyrus calleryana* cv.
 Bradfordi), 327, 374
- Bramble fruit, 231–237. *see also*
 Blackberry; Raspberry
- Broccoli, 157, 184, 500
- Browallia, 384–385
- Brown patch (*Rhizoctonia blight*), 465–466
- Brussel sprouts, 157–158, 500
- B.t.* (*Bacillus thuringiensis*), 179–180
- Buckeye
 bottlebrush (*Aesculus parviflora*), 316
 red (*Aesculus pavia*), 316
- Buddleia*, 307, 316
- Buds, 35–36
- Bugleflower (*Ajuga* spp.), 283, 410
- Builders lime. *see* Calcium hydroxide
- Bulbs, 30, 395–404
 cold requirements of, 397, 399
 cultural chart, 403*t*
 disease and pest control, 400
 forcing, 398–400, 481
 maintenance care, 397–398
 naturalizing, 398
 planting, 396–397
 propagation, 126
 recommended species, 400–402, 403*t*,
 404
- Burned lime. *see* Calcium oxide
- Bushivy (*X Fatshedera lezei*), 290
- Butterflies, 58, 392
- Butterflybush, 307, 316
- Butterflyweed, 410
- C**
- Cabbage, 158, 180, 184, 191, 500
- Cabbage, ornamental, 387
- Cabbage looper, 185
- Cabbage maggot, 184
- Cabbageworms, 185
- Cacti
 growing indoors, 481
 holiday, 481
 potting mixes for, 476
- Caladium, 401
- Calclitic limestone, 12
- Calcium deficiency, 13*t*, 15, 48, 168, 173
- Calcium hydroxide, 12
- Calcium nitrate, 143
- Calcium oxide, 11
- Calendula, 385
- Calibration
 of sprayers, 91–92
 of spreaders, 91–92, 441–442
 of water sprinklers, 445–446
- Callery pear (*Pyrus calleryana*), 327
- Calliopsis, 385
- Cambium, 29, 126
- Camellia. *see also* Tea plant
 Japanese (*Camellia japonica*), 309, 372
 Sasanqua (*Camellia Sasanqua*), 309,
 372
- Candytuft, 285, 385, 413
- Cane, 31
- Canker, 67, 70–71
- Canna, 401
- Cantalope, 502–503
- Cape jasmine (*Gardenia jasminoides*), 302
- Carbon, 12, 103–104, 111, 113, 115
- Carbon dioxide, 44
- Cardinal flower, 413–414
- Carolina allspice (*Calycanthus floridus*),
 316
- Carolina silverbell (*Halesia carolina*), 324
- Carpathian walnut, 260–261
- Carpetgrass, 424, 435
- Cast iron plant (*Aspidistra elatior*), 283
- Castorbean, 385
- Catalpa, southern (*Catalpa bignonioides*),
 332
- Cataphylls, 32
- Caterpillars, control of, 179–180
- Cation exchange capacity (CEC), 7
- Cations, 6, 48
- Cauliflower, 158–159, 174, 500
- CEC. *see* Cation exchange capacity
- Cedar, Deodar (*Cedrus deodara*), 332
- Cedar, eastern red (*Juniperus virginiana*),
 332
- Celosia, 385
- Centipedegrass, 423–424, 435, 466–467
- Centipedes, 60, 102, 461
- Ceratostigma, 411
- Certified applicator, 93, 96
- Chastetree (*Vitex agnus-castus*), 321
- Che (Chinese mulberry), 252
- Chelated iron, 12
- Chemical control
 of disease, 77
 of pests, 85–98
 of weeds, 81–83, 176
- Cherry, 372
 fruit trees, 197, 251–252
 Japanese flowering (*Prunus serrulata*),
 327
 Weeping Higan (*Prunus subhirtella*
 var. *pendula*), 327
 Yoshino (*Prunus x yedoensis*), 327
- Cherry plum, Thundercloud (*Prunus*
cerasifera cv. Thundercloud), 326
- Cherry laurel (*Prunus caroliniana*), 326
- Chestnut, 260
- Chilopoda, 60, 60*f*
- Chinaberry (*Melia azedarach*), 281
- Chinafir, common (*Cunninghamia*
lanceolata), 323
- Chinch bugs, 456, 460
- Chinese fringe. *see* Loropetalum
- Chinese gooseberry, 254–255
- Chinese jujube, 253
- Chinese lantern, 385
- Chinese mulberry (Che), 252
- Chinese parasol tree (*Firmiana simplex*),
 324
- Chionodoxa, 401
- Chlorine, 17
- Chlorophyll, 43
- Chlorosis, 12, 13*t*, 73
- Christmas pepper, 480
- Christmasberry. *see* Holly, Yaupon
- Chrysanthemum, 46, 411, 480, 535
- Chrysogonum, 411
- Cicada killer wasp, 461
- Cicadas, 57
- Cinquefoil, bush (*Potentilla fruticosa*), 300
- Clay (soil type), 5–6
- Clematis, 372. *see also* Virginsbower
Clematis spp., 280, 292
 Armand (*Clematis armandii*), 290
- Cleome, 385
- Cleyera, Japanese (*Ternstroemia indica*),
 315, 372
- C:N ratio, 103–104, 111, 113, 115
- Colchicum, 401
- Cold damage, 74
- Coleoptera, 56, 56*f*
- Coleus, 385
- Collards, 184, 191
- Colloids, 6
- Color, 399
 in landscape design, 276–279
 and perennial gardens, 406–408
- Colorado potato beetle, 186
- Columbine, 410
- Composting, 99–116
 additives, 104–105
 alternative methods, 111–113
 containers for, 109–110
 destruction of weed seeds, 100, 111
 disease control and, 105
 fast and slow methods, 107–109
 materials to use, 103–104, 113–114
 organisms involved in, 100–103
 with red worms, 111–113
- Compressed air sprayer, 90
- Coneflower, purple (*Echinacea purpurea*),
 412
- Coneflower (*Rudbeckia* spp.), 416
- Conks, 67
- Container vegetable gardening, 138, 151–
 152
- Containers
 for annual flowers, 381
 for indoor plants, 476
 for starting seeds, 119–120, 144
 for transplanting, 122
 for vegetables, 151

Index - Master Gardener's Training Manual

- Conversion charts for mixing pesticides, 96–98
- Copper deficiency, 13*t*, 16
- Coral vine (*Antigonon leptopus*), 292
- Coralbells, 413
- Coreopsis, 411
- Corn, 30, 126, 395
- Corn, 159–160
- insect pests, 180, 181, 185
 - problems of, 174, 501
- Corn borer, European, 182–183
- Corn earworm, 180
- Cornflower, 385
- Cornstalk borer, 183
- Corymb, 39
- Cosmos, 385
- Cotoneaster, 372, 527
- bearberry (*Cotoneaster dammeri*), 283
 - necklace (*Cotoneaster conspicuus* cv. *Decora*), 295
 - rockspray (*Cotoneaster horizontalis*), 295
 - willowleaf (*Cotoneaster salicifolius* var. *floccosus*), 309
- Cottonseed meal, 19
- Cotyledons, 32
- Cover crops, 8
- Cowpea curculio, 182
- Cowpeas, 181, 499
- Crabapple, 372–373
- Malus* spp., 326
 - Sargent (*Malus sargentii*), 319
- Crapemyrtle, 373
- common (*Lagerstroemia indica*), 279, 325
 - Faurei hybrid (*Lagerstroemia x faurei*), 325
- Crickets, 58
- Crinum, 401
- Crocus, 401
- Crop rotation, 75, 177, 494
- Crossvine (*Bignonia capreolata*), 280, 289
- Crown, 30
- Crown rot of turfgrasses, 467
- Crustacea, 60, 60*f*
- Cryptomeria, Lobbii (*Cryptomeria japonica* cv. *Lobbii*), 323
- Cucumber beetles, 183
- Cucumbers, 160–161
- diagnostic key for problems, 502–503
 - insect pests, 181, 182, 183–184
 - lack of pollination, 174
- Cultivar, 28, 128
- Cup-and-saucer vine, 385
- Currant, 253
- Cuticle, 32
- Cuttings for propagation, 123–124
- Cutworms, 187, 460–461
- Cyclamen, 401, 481
- Cyme, 39
- Cypress. *see also* Baldcypress; Falsecypress
- Arizona (*Cupressus arizonica*), 323
 - Italian (*Cupressus sempervirens*), 323
 - Leyland (*X Cupressocyparis leylandii*), 323
- Cypress vine. *see* Morning glory
- D
- Daffodil. *see* Narcissus
- Dahlia, 401
- Daisy, Shasta, 411
- Damping off, 71, 145
- Daphne, winter (*Daphne odora*), 296
- Daylily (*Hemerocallis* spp.), 412, 535
- Decks, 266
- Declines in tree populations, 74–75
- Delosperma, 411
- Delphinium, 411
- Dermoptera, 56, 56*f*
- Deutzia, 373
- Lemoine (*Deutzia x lemoinei*), 307
 - Pride of Rochester (*Deutzia scabra* cv. *Pride of Rochester*), 317
 - slender (*Deutzia gracilis*), 299
- Diamondback moth caterpillar, 185
- Dianthus, 388, 411–412
- Dicentra, 412
- Dichondra (*Dichondra carolinensis*), 284
- Dicotyledon, 27, 29*f*
- Digitalis, 412
- Dioecious flowers, 38
- Diplopoda, 59–60, 60*f*
- Diptera, 56, 57*f*
- Diseases, plant, 63–78
- abiotic, 65, 72–74
 - biotic, 65–66
 - chemical controls for, 77–78
 - common symptoms, 69–72
 - conditions favoring, 64–65
 - control of in composting, 105
 - diagnostic key for, 493–537
 - insects in transmission of, 61–62
 - management of, 75–77
 - regulatory controls, 75
- Dish gardens, 483, 485–486
- Dobsonflies, 58
- Dodder, 69
- Dogwood, 373, 527
- bloodtwig (*Cornus sanguinea*), 279
 - flowering (*Cornus florida*), 279, 322
 - Kousa (*Cornus kousa*), 323
- Dollar spot, 466–467
- Dolomitic limestone, 11, 12, 142
- Dormancy, 119
- Double digging, 142
- Downy mildew, 191, 192
- Drip irrigation system. *see* Irrigation
- Dust, pesticide, 87, 188
- Dusters, hand, 90, 188
- Dusty-miller, 385
- Dusty wings, 58
- E
- Early blight, 190
- Earthworms, 103
- Earwigs, 56, 461
- Easter lily, 481
- Echinacea, 412
- Eggplant, 161
- diagnostic key for problems, 504
 - insect pests, 180, 181, 187–188
 - southern blight of, 190
- Elaeagnus, 373. *see also* Russian-olive cherry (*Elaeagnus multiflora*), 317
- thorny (*Elaeagnus pungens*), 309–310
- Elderberry, 252
- Elm, 527
- American (*Ulmus americana*), 336
 - Chinese (*Ulmus parvifolia*), 281, 337
 - Siberian (*Ulmus pumila*), 281, 337
 - winged (*Ulmus alata*), 336
- Empress tree (*Paulownia tomentosa*), 333
- Emulsifiable concentrates, 86
- English lavender (*Lavandula angustifolia*), 297
- English walnut, 260–261
- Entomology, 51–62
- Entomosporium* leaf spot, 281, 314
- Environmental disease factors. *see* Abiotic diseases
- Environmental hazards, 89, 95
- Epidermis, 32, 37
- Epiphytes, 63
- Eranthis, 401
- Eucalyptus, spiral (*Eucalyptus cinerea*), 323
- Euonymus, 373. *see also* Evergreen
- bittersweet; Wintercreeper
 - dwarf Japanese (*Euonymus japonica* cv. *Microphyllus*), 296
 - Japanese (*Euonymus japonicus*), 310
 - spreading (*Euonymus kiautschovicus*), 302
 - winged (*Euonymus alatus*), 318
- Eupatorium, 412
- European corn borer, 182–183, 185, 187
- Evergreen bittersweet (*Euonymus fortunei* cv. *Vegetus*), 296
- Evolvulus, 385
- F
- Fairy lily. *see* Zephyranthes
- Fairy rings, 468
- Fall army worm, 185
- Fall webworms, 222
- Fallow, 75
- False aster, 413
- False holly, variegated (*Osmanthus heterophyllus* cv. *Variegatus*), 298
- False yew, prostrate (*Cephalotaxus harringtonia* cv. *Prostrata*), 295
- Falsecypress, Dwarf Hinoki (*Chamaecyparis obtusa* var. *Nana*), 302
- Fatsia, Japanese (*Fatsia japonica*), 296
- Feijoa, 252
- Fertilizer
- analysis, 17
 - application, 21–24
 - calculating amount, 22, 361
 - cost analysis, 24–25
 - nitrogen in, 13–14
 - and pesticide mixes, 87
 - types, 17–21
- Fertilizer spreaders. *see* Spreaders
- Fescue
- blue, 284

Index - Master Gardener's Training Manual

- Fescue (*cont.*)
tall, 421, 465–466, 467
- Field capacity, 6
- Fig, climbing (*Ficus pumila*), 280, 290
- Figs, 223–226
diseases of, 225–226
maintenance care, 224–225
planting, 196, 223–224
variety selection, 223*t*
- Fire blight, 207, 210
- Firethorn
dwarf Formosa (*Pyracantha koidzumii* cv. Low Dense), 305
Formosa (*Pyracantha koidzumii*), 315
Kasan (*Pyracantha coccinea* cv. Kasan), 315
- Fish emulsion, 19–20
- Flea beetles, 181–182
- Flies, 56, 102
- Flower structure, 37–39, 38
- Flowering plants. *see* Annual flowering plants; Bulbs; Perennial flowering plants; Woody ornamental plants
- Flowering quince, 374
common (*Chaenomeles speciosa*), 307
Japanese (*Chaenomeles japonica*), 299
- Foliar absorption of nutrients, 24, 49
- Forget-me-not, 385–386
- Forsythia, showy (*Forsythia x intermedia*), 318
- Fothergilla, dwarf (*Fothergilla gardenii*), 299
- Four-o'clock, 386
- Foxglove, 386, 412
- Franklinia (*Franklinia alata*), 324
- Freeze damage. *see* Cold damage
- Fringetree, 373
Chinese (*Chionanthus retusus*), 317
White (*Chionanthus virginicus*), 317
- Fritillaria, 401
- Fruit rot, 191, 192
- Fruits, 39, 40*f*, 195–261. *see also specific fruits and nuts*
cultural techniques, 196–198
diagnostic key for problems, 512–514
dwarf trees, 202
pollination of, 195–196, 197–198*t*
pruning, 197–198, 202
spacing of plants/trees, 196*t*, 202
variety selection, 196
- Fumigants, 83, 85, 87, 495
- Fungi, 65–66
in composting, 100
diseases of turfgrasses, 461–468
diseases of vegetables, 189–190, 191, 192
parasitic, 61
saphrophytic, 64, 66
- Fungicides, 494–495
- Funkia, 413
- Fusarium wilt, 190, 192
- G**
- Gaillardia, 386, 412
- Galanthus, 401–402
- Gall insects, 61
- Galls, 67, 70
- Garden pinks (*Dianthus plumarius*), 284
- Gardenia
Cape jasmine (*Gardenia jasminoides*), 302
dwarf (*Gardenia jasminoides* cv. Radicans), 296
as houseplant, 481
- Gaura, 412
- Geranium, 386, 481, 536
- Germander, Wall (*Teucrium chamaedrys*), 288
- Germination, 117–119, 118*t*
- Ginkgo tree (*Ginkgo biloba*), 281, 332
- Gladiolus, 402
- Glory-of-the-snow. *see* Chionodoxa
- Gloxinia, 481
- Glyphosate, 176
- Gnats, 56
- Gold Dust Plant (*Aucuba Japonica* cv. Variegata), 301
- Goldenchain tree (*Laburnum watereri* cv. Vossii), 325
- Goldenraintree, 373
(*Koelreuteria paniculata*), 325
Chinese (*Koelreuteria bipinnata*), 325
- Goldenrod, 417
- Gomphrena, 386
- Gooseberry, 253
- Gooseberry, Chinese, 254–255
- Grafting, 126–134
compatibility of plants, 127
equipment for, 127–128
techniques, 128–134
- Grancy grey beard (*Chionanthus virginicus*), 317
- Granular pesticides, 87, 90–91
- Grape hyacinth. *see* Muscari
- Grapeholly, Oregon (*Mahonia aquifolium*), 304
- Grapes, 196, 198, 237–246
American (*Vitis labrusca*), 293
bunch, 237–243, 520
diseases and insects, 243, 246, 520
muscadine (*Vitis rotundifolia*), 243–246, 280, 293, 520
pruning and training, 240–242, 245–246
trellis systems for, 238–239, 243–245
variety selection, 238*t*, 239*t*, 244*t*
- Grasses. *see* Turfgrasses
weed grasses, 79
- Grasshoppers, 58, 60
- Gray leaf spot, 468
- Green manure, 115
- Ground covers. *see also specific plants*
annual flowering, 392
evergreen, 283–289
in landscape design, 280
pruning, 371
- Ground pearls, 459
- Grubs, 102
- Guard cells, 32
- Guava, pineapple (*Feijoa sellowiana*), 252, 310
- Gymnosperms, 27
- Gypsophila, 384, 412
- Gypsum, 15
- H**
- Hackberry (*Celtis laevigata*), 332
- Hanging baskets, 392, 488–490
- Hardening off
of nursery trees, 345
of seedlings, 122, 145
- Hardy-orange (*Poncirus trifoliata*), 326
- Harlequin bug, 185
- Hawthorne, Indian, 374
Raphiolepis indica, 305
Raphiolepis umbellata cv. Ovata, 298
- Heather, Mexican, 387
- Heavenly bamboo. *see* Nandina
- Hedges, pruning, 371–372
- Helianthus, 412
- Heliopsis, 412
- Heliotrope, 386
- Helleborus, 285, 412
- Helminthosporium diseases, 467
- Hemerocallis, 412, 535
- Hemiptera, 57, 57*f*
- Hemlock, 373, 528
Carolina (*Tsuga caroliniana*), 336
eastern (*Tsuga canadensis*), 336
- Herbaceous plants, 379–417. *see also* Annual flowering plants; Bulbs; Perennial flowering plants
- Herbicides, 81–83. *see also* 2,4-D herbicides; Roundup®
application equipment, 89–90
for lawn weed control, 453–455
recommendations for use, 83
types and formulations, 81–83
use in vegetable gardens, 176
- Herbs, 144, 169–171, 171*t*, 172*t*
- Heuchera, 413
- Hibiscus, 318, 375, 413
- Hippeastrum, 402
- Holly, 373, 528. *see also* Inkberry; Winterberry
American (*Ilex opaca*), 325
Burford (*Ilex cornuta* cv. Brufordii), 310
Carissa (*Ilex cornuta* cv. Carissa), 296
Chinese horned (*Ilex cornuta*), 310
Compact Japanese (*Ilex crenata* cv. Compacta), 303
Convexa (*Ilex crenata* cv. Convexa), 303
Dahoon (*Ilex x cassine*), 324
Dwarf Burford (*Ilex cornuta* cv. Brufordii Nana), 303
Dwarf horned (*Ilex cornuta* cv. Rotunda), 296
Dwarf Yaupon (*Ilex vomitoria* cv. Nana), 297
English (*Ilex aquifolium*), 310
Foster's native (*Ilex x attenuata* cv. Fosteri), 324
Heller (*Ilex crenata* cv. Helleri), 296
Hetz (*Ilex crenata* cv. Hetzii), 303
Ilex x aquipernyi, 466–467
Japanese (*Ilex crenata* cv.

Index - Master Gardener's Training Manual

- Holly (*cont.*)
- Rotundifolia, 303
 - Lusterleaf (*Ilex latifolia*), 325
 - Nellie R. Stevens (*Ilex* x cv. Nellie R. Stevens), 310–311
 - Perny (*Ilex pernyi*), 311
 - Repandens (*Ilex crenata* cv. Repandens), 297
 - Yaupon (*Ilex vomitoria*), 311
- Holly fern (*Crytomium falcatum*), 283–284
- Hollyhock, 386, 410, 536
- Homoptera, 57, 57f
- Honeydew, 69
- Honeylocust (*Gleditsia triacanthos*), 332, 374
- Honeysuckle
- boxleaf (*Lonicera nitida*), 297
 - common (*Lonicera japonica* cv. Halliana), 287
 - goldflame (*Lonicera* x *heckrottii*), 291
 - Japanese (*Lonicera japonica*), 280
 - trumpet (*Lonicera sempervirens*), 291
 - winter (*Lonicera fragrantissima*), 319
- Hornetails, 57
- Hornworm. *see* Tomato hornworm
- Hose-end sprayers, 90
- Host, 67
- Hosta, 413
- Houseplants. *see* Indoor plants
- Hummingbirds, 392
- Hyacinth, 402
- Hyacinth-bean, 386
- Hyacinth, grape. *see* Muscari
- Hyacinthoides, 402
- Hybrids, 28, 143
- Hydrangea, 374
- climbing (*Hydrangea petiolaris*), 292
 - florist's or bigleaf (*Hydrangea macrophylla* ssp.), 300, 482
 - Hills-of-Snow (*Hydrangea aborescens* cv. Grandiflora), 299
 - oakleaf (*Hydrangea quercifolia*), 319
 - Peegee (*Hydrangea paniculata* cv. Grandiflora), 319
- Hydrated lime. *see* Calcium hydroxide
- Hydrogen, 12
- Hymenocallis, 402
- Hymenoptera, 57, 58f
- Hypocotyl, 41, 396
- I
- Iberis, 413
- Iceplant, hardy, 411
- Immobilization of nitrogen, 13
- Impatiens, 386
- Imported cabbageworm, 185
- Indigo, blue, 411
- Indoor plants, 469–491
- aquisition of, 469–470
 - artificial lighting for, 472–473
 - care of specific plants, 480–483
 - containers for, 476
 - diseases and insects, 477–480
 - environmental needs of, 470–475
 - light requirements for specific plants, 470–471t
 - poisonous, 491t
 - problem diagnosis chart, 478t
 - repotting, 477
 - soil mixes for, 475–476
 - for specific uses, 484–490t
- Inflorescences, 39
- Inkberry (*Ilex glabra*), 303
- Insecticidal soaps, 180
- Insecticides. *see also* Pesticides
- use on lawns, 457–458
 - use on vegetables, 188
- Insects, 51–62. *see also specific insects*
- beneficial, 62, 179
 - classification of, 51–52, 52t, 55–58
 - control in annual flowers, 383–384
 - control in turfgrasses, 455–461
 - control in vegetables, 177–188
 - diagnostic key for, 493–537
 - identification of, 55–58, 180–188, 459–461
 - metamorphosis, 54–55
 - morphology, 52–54
 - orders of, 55–58
 - in transmission of disease, 61–62
 - types of injury by, 60–62
- Instar, 55
- Integrated Pest Management(IPM), 96, 177–180, 451–452
- Intensive vegetable gardening, 149–151
- Intercropping (interplanting), 149–150, 178
- Internode, 29
- Ipheion, 402
- IPM. *see* Integrated Pest Management
- Iris, 402, 413, 536
- Iron chlorosis, 12, 13t, 73
- Iron deficiency, 12, 13t, 16, 73
- Ironwood (*Carpinus caroliniana*), 322
- Irrigation. *see also* Watering
- of annual flowers, 382–383
 - and disease control, 178, 192, 383, 463
 - drip system, 148, 192, 382–383
 - of fruits, 196–197
 - of lawns, 444–447
 - of ornamental plants, 355–357
 - of vegetables, 148, 178, 192
 - and weed control, 81
 - of woody ornamentals, 355–357
- Ivy
- Algerian (*Hedera canariensis*), 284
 - Boston (*Parthenocissus tricuspidata*), 293
 - Colchis (*Hedera colchica*), 284
 - English (*Hedera helix*), 280, 284–285, 290
 - Guignard (*Hedera colchica*), 284
- J
- Japanese beetle grub, 458
- Japanese cleystera (*Ternstroemia indica*), 315, 372
- Japanese plum, 255
- Japanese spurge (*Pachysandra terminalis*), 287, 414
- Jasmine, 374. *see also* Cape jasmine
- Confederate (*Trachelospermum jasminoides*), 280, 291
 - littleleaf (*Trachelospermum asiaticum* cv. Oblanceolatum), 291
 - primrose (*Jasminum mesnyi*), 311
 - showy (*Jasminum floridum*), 303
 - winter (*Jasminum nudiflorum*), 300
 - yellow star (*Trachelospermum asiaticum*), 291
- Jessamine
- Carolina yellow (*Gelsemium sempervirens*), 280, 290
 - Rankin's (*Gelsemium rankinii*), 280
- Jonquil. *see* Narcissus
- Jujube, Chinese, 253
- Juneberry, 253–254
- Juniper, 374, 528. *see also* Redcedar, eastern
- Andorra (*Juniperus horizontalis* cv. Plumosa), 285
 - Blue pacific (*Juniperus conferta* cv. Blue Pacific), 285
 - Blue rug (*Juniperus horizontalis* cv. Wiltonii), 286
 - Hetz Glauca (*Juniperus chinensis* cv. Hetzii Glauca), 311
 - Hollywood (*Juniperus chinensis* cv. Kaizuka or Torulosa), 311–312
 - Japanese garden (*Juniperus procumbens* cv. Nana), 286
 - Parson's (*Juniperus chinensis* cv. Parsonii), 286
 - Pfitzer's (*Juniperus chinensis* cv. Pfitzeriana), 304
 - Sargent (*Juniperus chinensis* cv. Sargentii), 285
 - Shore (*Juniperus conferta*), 285
- K
- Kadsuravine (*Kadsura japonica*), 290
- Kalanchoe, 482
- Kale, ornamental, 387
- Kalimeris, 413
- Kentucky bluegrass, 421, 467
- Kerria, Japanese (*Kerria japonica* cv. Pleniflora), 307
- Kiwifruit, 196, 198, 254–255
- Kniphofia, 413
- L
- Labels and labeling of pesticides, 87–89
- Lacewings, 58
- Landscape design, 263–281
- aesthetics, 273–279
 - design principles, 268–271
 - functional areas in, 266–268
 - maintenance considerations, 265–266
 - plan development, 271–273
 - plant selection, 264, 265, 273–281, 283–337
 - site analysis, 263–268
- Lantana, 413
- Larkspur, 386
- Larva, 55
- Laurel, 374
- Alexander (*Danae racemosa*), 295
 - cherry (*Prunus caroliniana*), 326
 - English (*Prunus laurocerasus*), 315

Index - Master Gardener's Training Manual

- Laurel (*cont.*)
 Grecian (*Laurus nobilis*), 312
 Otto Luyken (*Prunus laurocerasus* cv. Otto Luyken), 298
 Schipka (*Prunus laurocerasus* cv. Schipkaensis), 305
 Zabel (*Prunus laurocerasus* cv. Zabeliana), 305
- Laurustinus (*Viburnum tinus*), 315
- Lavender cotton (*Santolina chamaecyparissus*), 288
- Lavender, English (*Lavandula angustifolia*), 297
- Lawns. *see also* Turfgrasses
 diseases of, 461–468
 establishment, 425–431
 fertilization of, 435–442
 insect pests, 455–461, 456
 irrigation, 444–447
 maintenance, 444–451
 mowing, 442–444, 443*t*
 renovation, 432–435
 seeding of, 426–429
 soil compaction, 447–449
 thatch removal, 449–451
 turfgrasses for, 421–425
 vegetative planting methods, 429–431
 weed control in, 81, 452–455
- Layering, 125–126
- Leadwort, 411
- Leaf scorch, 69
- Leaf spot, 67, 69
 on red tip photinia, 281
 of turfgrasses, 467, 468
 on vegetables, 191
- Leafhoppers, 57, 60, 186
- Leafminers, 60, 183, 187
- Leaves, 31–36
 arrangement of, 33, 35*f*
 effect of disease on, 64
 internal structure of, 31–32
 in plant identification, 33–34
 propagation from, 124
 shapes and venation of, 32–33, 33*f*, 34*f*
- Legal regulations for pesticide use, 96
- Legumes, 8, 9*t*, 189
- Lenten rose (*Helleborus orientalis*), 285, 412
- Lepidoptera, 58, 58*f*
- Lesser cornstalk borer, 183
- Lettuce, 161–162, 181, 504
- Leucosium, 402
- Leucothoe
 coastal (*Leucothoe axillaris* or *Agarista axillaris*), 297
 drooping (*Leucothoe fontanesiana*), 297
 Florida (*Leucothoe populifolia*), 312
- Liatris, 413
- Lichens, 63
- Light
 artificial lighting, 46, 121, 145
 damage from excess, 73–74, 145, 469, 471
 effect on germination, 118
 indoor plant requirements, 470–471*t*
 qualities of for plant growth, 45–46
- Ligustrum, curlyleaf (*Ligustrum japonicum* cv. *Rotundifolium*), 297. *see also* Privet
- Lilac
 common (*Syringa vulgaris*), 320
 cutleaf (*Syringa laciniata*), 320
 Persian (*Syringa x persica*), 320
- Lilium, 402
- Lily. *see also* Daylily; Liliium
 canna, 401
 Easter, 481
 fairy. *see* Zephyranthes
 milk and wine. *see* Crinum
 plantain. *see* Hosta
 rain. *see* Zephyranthes
 resurrection. *see* Lycoris
 spider. *see* Hymenocallis
- Lily-of-the-Nile. *see* Agapanthus
- Lilyturf. *see* Lirope
- Lima bean vine borer, 183
- Lima beans, 156, 190, 499. *see also* Beans
- Lime, 10–12, 11*t*, 105, 113, 142
- Linden
 American (*Tilia americana*), 336
 littleleaf (*Tilia cordata*), 336
- Liriope, 374, 413. *see also* Mondo
 creeping (*Liriope spicata*), 286
 giant (*Liriope grandiflora*), 286
 variegated (*Ophiopogon jaburan* cv. *Vittatus*), 287
- Loam, 5
- Lobelia, 386, 413–414
- Loblolly-bay (*Gordonia lasianthus*), 324
- Locust, Roseacacia (*Robinia hispida*), 320
- Loquat (*Eriobotrya japonica*), 255, 323
- Loropetalum (*Loropetalum chinense*), 312–313
- Lycoris, 402, 404
- M
- Macronutrients, 12–16, 48
- Magnesium deficiency, 13*t*, 15–16, 73
- Magnolia, 374, 529
 cucumbertree (*Magnolia acuminata*), 333
 purple lily (*Magnolia liliiflora* cv. *Nigra*), 319
 saucer (*Magnolia x soulangiana*), 325
 southern (*Magnolia grandiflora*), 333
 star (*Magnolia stellata*), 319
 sweetbay (*Magnolia virginiana*), 326
- Mahonia
 Chinese (*Mahonia fortunei*), 304
 cluster (*Mahonia pinnata*), 304
 leatherleaf (*Mahonia bealei*), 304
 Oregon grapeholly (*Mahonia aquifolium*), 304
- Maidenhair tree (*Ginkgo biloba*), 281, 332
- Mallow, rose, 413
- Mandevilla, 280, 386–387
- Manganese, 16
 deficiency symptoms, 13*t*, 73
 toxicity symptoms, 173
- Mantidflies, 58
- Manure, 20
- Map, South Carolina plant hardiness, 339
- Maple, 374, 529
 Japanese (*Acer palmatum*), 321–322
 laceleaf Japanese (*Acer palmatum* var. *dissectum*), 322
 Norway (*Acer platanoides*), 331
 red (*Acer rubrum*), 331
 silver (*Acer saccharinum*), 331
 southern sugar (*Acer floridanum*), 330
 sugar (*Acer saccharum*), 331
- Marigold, 189, 387, 536
- Mayhaw, 255–257
- Mealybugs, 57, 479
- Media. *see* Potting soils; Starter media
- Medlar, 257
- Melampodium, 387
- Melons, 162–163, 181, 183–184, 502–503
- Melting out, 467
- Meristem, 29, 36
- Mesophyll, 32
- Metamorphosis, 54–55, 55*f*
- Mexican bean beetle, 182
- Mexican heather, 387
- Mexican sunflower, 387
- Microbial pesticides, 76, 85, 179, 458
- Microclimate, 339–340
- Micronutrients, 16–17, 48
- Midges, 56
- Mildew. *see* Downy mildew; Powdery mildew
- Milky disease, 458
- Millipedes, 59–60, 101, 461
- Mimosa (*Albizia julibrissin*), 322
- Mineralization of nitrogen, 13
- Mistletoe, 69
- Mites, 52*t*, 54, 59, 101. *see also* Spider mites
- Mockorange, 374
 Avalanche (*Philadelphus x lemoinei* cv. *Avalanche*), 307
 Bouquet Blanc (*Philadelphus x virginalis* cv. *Bouquet Blanc*), 308
 Virginal (*Philadelphus x virginalis*), 320
- Mole crickets, 456, 459
- Mollusca, 51
- Molybdenum, 13*t*, 16–17, 173
- Monarda, 414
- Mondo (*Ophiopogon japonicus*), 287, 414
- Money plant, 387
- Monkey flower, 387
- Monkeygrass (*Ophiopogon japonicus*), 287, 414
- Monocotyledon, 27, 29*f*. *see also* Grasses; Sedges
- Monoecious flowers, 38, 220
- Moonflower. *see* Morning glory
- Morning glory, 387
- Mosaic viruses, 178, 191, 192
- Mosquitoes, 56
- Moss-pink (*Phlox subulata*). *see* Thrift
- Mother-of-thyme, 288
- Moths, 58
- Mountain laurel (*Kalmia latifolia*), 304, 374
- Mowers, types of, 443–444

Index - Master Gardener's Training Manual

- Mowing, 442–444, 443*t*
 Mulberry, Chinese, 252
 Mulberry (*Morus* spp.), 257–258, 281
 Mulch, 81
 black plastic, 175–176
 compost, 111
 inorganic materials for, 375–376
 materials used for, 377*t*
 for ornamentals, 358, 375–378
 for vegetables, 175–176, 178
 Muscadine grapes, 243–246, 280, 293, 520
 Muscari, 404
 Mushrooms. *see* Fungi
 Muskmelons. *see* Melons
 Mycelia, 67
- N**
- Nandina (Heavenly bamboo), 374
 dwarf (*Nandina domestica* cv. *Atropurpurea* Nana), 298
 Harbour dwarf (*Nandina domestica* cv. *Harbour Dwarf*), 298
 (*Nandina domestica*), 305
 Narcissus, 404
 Nasturtium, 387
 Nectarines. *see* Peaches
 Nematodes
 beneficial, 102–103
 parasitic, 66, 68
 root-knot, 188–189, 192, 251
 Net-blotch, 467
 Neuroptera, 58, 58*f*
 Nicotiana, 387
 Nitrogen, 12–14
 C:N ratio in composting, 103–104, 111, 113
 deficiency, 13*t*, 73, 99
 Node, 29, 31
 Nonselective herbicides, 82
 Nut trees, 219–223, 260–261, 512–514. *see also* Pecans
 Nutrients, 12–17, 48–49. *see also specific elements*
 in compost, 111
 foliar absorption of, 24, 49
 imbalance of, 73
 ionic forms of, 7*t*
 macronutrients, 12–16, 48
 micronutrients, 16–17, 48
 pH and availability, 10*t*, 48
 symptoms of deficiencies, 13*t*, 73, 173
 utilization by plant, 47–49
 Nymph, 54, 55
- O**
- Oak, 374, 530
 black (*Quercus velutina*), 335
 Darlington (*Quercus laurifolia*), 335
 Japanese evergreen (*Quercus acuta*), 327
 laurel (*Quercus laurifolia*), 335
 live (*Quercus virginiana*), 335
 pin (*Quercus palustris*), 335
 scarlet (*Quercus coccinea*), 334–335
 southern red (*Quercus falcata*), 335
 water (*Quercus nigra*), 335
 white (*Quercus alba*), 334
 willow (*Quercus phellos*), 335
 Obedient plant, 414
 Obligate parasite, 66
 Offsets, 126
 Okra, 163, 180, 181, 192, 505
 Oleander (*Nerium oleander*), 313, 374
 Onion maggot, 186
 Onions, 164, 186, 505
 Orchids, 476, 482–483
 Oregon grapeholly (*Mahonia aquifolium*), 304
 Organic fertilizer, 19–20. *see also* Composting; Manure
 Organic gardening. *see also* Integrated Pest Management
 composting, 99–116
 and pesticides, 96
 Organic matter
 benefits of, 7–8
 compost as, 110–111
 in vegetable gardens, 140, 142
 Ornamental cabbage and kale, 387
 Ornamental pepper, 387, 480
 Ornamental plants. *see* Annual flowering plants; Bulbs; Perennial flowering plants; Woody Ornamental Plants
 Orthoptera, 58, 59*f*
 Osmanthus, 374. *see also* False holly; Tea olive
 Fortune's (*Osmanthus fortunei*), 313
 Outdoor living areas, 266–267
 Oxygen, 12, 44, 118
- P**
- Pachysandra, Japanese (*Pachysandra terminalis*), 287, 414
 Palmetto palm (*Sabal palmetto*), 330
 Palms, 329–330, 371
 Dwarf Palmetto (*Sabal minor*), 330
 Jelly (*Butia capitata*), 329
 Mediterranean Fan (*Chamaerops humilis*), 329
 Needle (*Rhapidophyllum hystrix*), 330
 Palmetto (*Sabal palmetto*), 330
 Pindo (*Butia capitata*), 329
 Sago (*Cycas revoluta*), 329
 Saw palmetto (*Serenoa repens*), 330
 Scrub (*Serenoa repens*), 330
 Windmill (*Trachycarpus fortunei*), 330
 Pampas grass (*Cortaderia selleana*), 309
 Pansy, 387
 Papaver, 414
 Parasite, 54, 62, 66
 Parthenogenesis, 54, 55
 Pathogens, 67, 105
 Patios, 266
 Pawpaw, 258
 Peach, flowering (*Prunus persica*), 326
 Peaches, 210–216
 chilling requirements, 47, 211
 diseases and insects, 215–216, 515–516
 maintenance care of, 213–215
 planting, 196, 211, 213
 variety selection, 197, 211, 212*t*, 213*t*
 Pearlbush (*Exochorda racemosa*), 318
 Pear, flowering, 327, 374
 Pears, 207–210
 diseases and insects, 210, 514–515
 fire blight, 207, 210
 maintenance care of, 207–209
 planting, 196, 207
 variety selection, 197, 207, 208*t*
 Peas, 156, 180, 181, 182–183, 505–506
 Peat, 116
 Peat moss, 475
 Pecans, 219–223
 diseases and insects, 222–223, 517
 fertilization of, 221–222
 planting, 196, 219–220, 221
 pollination of, 220
 use as shade tree, 331
 variety selection, 197, 220*t*
 Pentas, 387–388
 Peony, 414, 537
 Pepper, ornamental, 387, 480
 Peppers, 164–165, 180, 182, 187–188, 190, 506
 Perennial flowering plants, 399, 404–417
 color selection, 406–408
 diseases and insects, 410, 534–537
 division and propagation, 409
 garden design, 405–406
 germination requirements, 118*t*
 planting and maintenance, 408–409
 quick reference chart, 415–416*t*
 recommended plants, 410–414, 416–417
 Perennials, 31, 64, 379
 weeds, 80–81, 175
 Periwinkle
 Vinca minor, 289
 big (*Vinca major*), 289
 Perlite, 475
 Perovskia, 414
 Persimmon, 196, 197, 226–228
 Pesticides, 85–98
 application equipment, 89–92, 188
 conversion charts for mixing, 96–98
 environmental hazards of, 89, 95
 label information, 87–89
 legal regulations for use, 96
 protective clothing, 94–95
 safety precautions, 93–94
 symptoms of poisoning, 94
 toxicity of, 88–89, 93
 types and formulations, 85–87
 in vegetable gardens, 179–180
 Petal, 38
 Petiole, 31, 33
 Petunia, 388
 pH, 8, 10–12
 adjustment of, 10–12
 in composting, 105, 116
 effect on nutrient availability, 10*t*, 48
 Pheromone, 54
 Phloem, 29
 Phlox, 287, 388, 414
 Phosphorus deficiency, 13*t*, 14–15, 73, 173
 Photinia, 374
 Chinese (*Photinia serrulata*), 314
 Fraser (*Photinia x fraseri*), 281, 314

Index - Master Gardener's Training Manual

- Photinia (*cont.*)
 Japanese (*Photinia glabra*), 314
- Photomorphogenesis, 46
- Photoperiodism, 46
- Photosynthesis, 43–44
- Physostegia, 414, 416
- Phytoplasmas, 67, 69
- Phytotoxicity
 of chemicals, 77–78
 in composting, 108, 116
- Pickleworm, 183
- Pieris, Japanese (*Pieris japonica*), 305
- Pillbugs, 60, 61, 461
- Pine, 374, 530–531
 compact Mugo (*Pinus mugo* cv. Compacta), 298
 Japanese black (*Pinus thunbergiana*), 334
 loblolly (*Pinus taeda*), 334
 longleaf (*Pinus palustris*), 334
 short leaf (*Pinus echinata*), 333
 Virginia (*Pinus virginiana*), 334
 white (*Pinus strobus*), 334
- Pineapple guava (*Feijoa sellowiana*), 252, 310
- Pinks (*Dianthus* spp.), 284, 388, 411–412
- Pistil, 38
- Pith, 29
- Pittosporum, Japanese (*Pittosporum tobira*), 314, 374
- Plant
 diseases, 61
 nutrition, 47–49
 pathology, 63–78
 physiology, 43–49
 propagation, 117–135
- Plant bugs, 57, 60
- Plant hardiness map of South Carolina, 339
- Plant lice. *see* Aphids
- Plantain lily, 413
- Plants
 annual flowering. *see* Annual flowering plants
 identification of, 33–34
 indoor. *see* Indoor plants
 perennial. *see* Perennial flowering plants
 selection for landscaping, 264, 265, 273–281, 283–337
- Plastic mulch, 175–176
- Platyhelminthes, 51
- Plugs, lawn establishment with, 431
- Plums, 216–219
 diseases and insects, 219, 515–516
 Japanese, 255
 maintenance care of, 218–219
 ornamental cherry plum, 326
 planting, 196, 216–218
 variety selection, 197, 217*t*
- Podocarpus (*Podocarpus macrophyllus*), 314
- Poinsettia, 46, 47, 482
- Poisoning
 by indoor plants, 491*t*
 by pesticides, 94
- Polianthes, 404
- Polkadotplant, 388
- Pollination, 38
 cross-, seeds from, 143
 of fruits, 195–196, 197–198*t*
 open, seeds from, 143
 of pecans, 197*t*, 220
 problems in vegetables, 160, 166, 174
- Pomegranate (*Punica granatum*), 196, 258–259, 320
- Poplar (*Populus* spp.), 281
- Poppy, 388, 414
- Portulaca, 388
- Postemergence herbicides, 82, 454–455
- Potassium deficiency, 13*t*, 15, 73
- Potato tuberworm, 186
- Potatoes, 165–166, 174, 181, 186, 507
- Potted plants. *see also* Indoor plants;
 Potting soils
 containers for, 476
 repotting, 477
 salt buildup in, 22
 soil mixes for, 475–476
- Potting soils
 for annual flowers, 381
 for growing transplants, 121
 for indoor plants, 475–476
 for orchids, 476
 pasteurization of, 111
 for starting seeds, 119, 145
 use of compost in, 111
 for vegetables, 152
- Powders, pesticide, 87
- Powdery mildew, 192
- Praying mantids, 58
- Predators, 54, 62
- Preemergence herbicides, 82, 454
- Presentation tips, 543–549
- Preying mantids, 179
- Privet. *see also* Ligustrum
 Chinese (*Ligustrum sinense*), 312
 glossy (*Ligustrum lucidum*), 312
 Japanese (*Ligustrum japonicum*), 312
 variegated (*Ligustrum sinense* var. Variegatum), 304
 Vicary golden (*Ligustrum x vicaryi*), 312
 waxleaf (*Ligustrum lucidum*), 312
- Propagation. *see also* Cuttings, Grafting,
 Layering, Tissue Culture
 asexual methods, 122–134
 of herbs, 170
 of perennial flowers, 409
 with seeds (sexual), 117–122
- Protozoal diseases, 61
- Pruning. *see also specific fruits*
 disinfection of tools, 495
 of fruit trees, 197–198
 of large limbs, 367–368
 of ornamental plants, 358, 363–375
 techniques, 366–375
 tools for, 364
- Pumpkins, 181, 183–184, 502–503
- Pupa, 54
- Purple coneflower, 412
- Pycnidia, 67
- Pyracantha. *see also* Firethorn
 Santa Cruz (*Pyracantha koidzumi* cv. Santa Cruz), 287, 374
- Pythium blight, 466
- Q
- Quick lime. *see* Calcium oxide
- Quince, 259. *see also* Flowering Quince
- R
- Raceme, 39
- Radicle, 41
- Radio techniques, 550–551
- Rain lily. *see* Zephyranthes
- Raised beds, 138–139, 397
- Raspberry, 196, 231–237, 233
 diseases and insects, 236–237, 518, 519
 Dormanred, 233–235
 variety selection, 198, 232*t*
- Red hot poker, 413
- Red tip photinia (*Photinia x fraseri*), 281, 314, 374
- Red worms (*Eisenia fetidae*), 111–113, 116
- Redbud, 374
 Chinese (*Cercis chinensis*), 316
 Eastern (*Cercis canadensis*), 322
- Redcedar, eastern (*Juniperus virginiana*), 332
- Redwood, dawn (*Metasequoia glyptostroboides*), 333
- Relative humidity, 47
- Repotting, 477
- Resistant varieties, 76, 495
 of tomatoes, 166–167, 190
- Respiration, 44
- Rest period, 35
- Restricted Use Pesticides, 93, 96
- Resurrection lily. *see* Lycoris
- Rhizoctonia blight, 465–466
- Rhizome, 30, 396, 419
- Rhizomorph, 67
- Rhododendron, 374, 531–532. *see also*
 Azalea
 Carolina (*Rhododendron carolinianum*), 306
 hybrid (*Rhododendron hybrida*), 306
- Root ball
 inspection of, 347–348
 planting specifications for, 353–354
- Root nodules, 188–189, 192, 251
- Root rot, 71, 189, 467
- Roots, 35–37
 damage as cause of disease, 73
 effect of disease on, 64
 propagation from, 124
 structure of, 36–37, 36*f*
 tuberous, 30, 395
 types of, 37
- Rootstock, 128
- Rose, 374–375, 532–533
 Cherokee (*Rosa laevigata*), 291
 climbing (*Rosa x hybrida*), 293
 Lady Banks' (*Rosa banksiae*), 291
 memorial (*Rosa wichuraiana*), 287
- Rose, Lenten (*Helleborus orientalis*), 285, 412
- Rose mallow, 413

Index - Master Gardener's Training Manual

- Rose-of-Sharon (*Hibiscus syriacus*), 318, 375
- Rosemary (*Rosmarinus officinalis*), 298
prostrate (cv. Prostratus), 288
- Rototillers, 142, 176
- Roundup®, 176
- Rudbeckia, 384, 416
- Russian-olive (*Elaeagnus augustifolia*), 324
- Russian sage, 414
- Rust, 69–70, 189–190
- Ryegrass, 421, 467
- S**
- Sage, Russian, 414
- Salinity, 343
- Salt buildup in potted plants, 22
- Saltcedar (*Tamarix gallica*), 320
- Salvia, 388, 416
- Sand (soil type), 5–6
- Santolina, green (*Santolina virens*), 288
- Sanvitalia, 388
- Saprophyte, 64, 66
- Sasanqua Camellia (*Camellia Sasanqua*), 309
- Sassafras, common (*Sassafras albidum*), 328
- Saw palmetto (*Serenoa repens*), 330
- Sawflies, 57
- Scale insects, 57, 60, 69, 459, 479
- Scarification of seeds, 119
- Scarlet runner bean, 388
- Scaveola, 388–389
- Scion, 126
- Scotch broom (*Cytisus scoparius*), 317
- Sedges, 79
- Sedum, 416–417
- Seeding lawns, 426–429
- Seedlings, 41. *see also* Transplants
damping off, 71, 145
hardening-off, 122, 145
starting, 119–122, 144–145, 381–382
- Seeds, 38, 143–148, 144–145, 381–382
dormancy of, 119
germination, 46, 117–119, 118*t*, 120–121
purchase and storage of, 117, 189
saving seeds from vegetables and herbs, 143–144
starting indoors, 120–121, 144–145
starting outdoors, 146–148
structure of, 41
- Selective herbicides, 81
- Sepal, 38
- Serviceberry, 253–254
Allegheny (*Amelanchier laevis*), 322
downy (*Amelanchier arborea*), 322
- Sewage sludge, 20
- Shasta daisy, 411
- Shrubs, 31. *see also specific plants*
deciduous, 299–301, 306–308, 316–321
diagnostic key for problems, 522–533
establishment of, 352–358
evergreen, 294–298, 301–306, 308–315
fertilization of, 358–363
in landscape design, 264–265, 279
mulching, 375–378
planting, 350–354
pruning, 365*t*, 366–367, 368–375
selecting healthy plants, 347–348, 349
- Side dressing, 142
- Silk-tree (*Albizia julibrissin*), 322
- Silt (soil type), 5
- Silver lace vine (*Polygonum aubertii*), 293
- Silverbell, Carolina (*Halesia carolina*), 324
- Site analysis, 263–268, 339–344
- Slaked lime. *see* Calcium hydroxide
- Slow-release fertilizer, 18–19
- Slugs, 102, 179
- Smilax (*Smilax lanceolata*), 291
- Smoketree (*Cotinus coggygria*), 317
- Smut, 70
- Snails, 102
- Snakebeard (*Ophiopogon jaburan*), 287, 414
- Snakeflies, 58
- Snap bean rust, 189–190
- Snap beans, 155, 189–190, 499. *see also* Beans
- Snapdragon, 389, 537
- Snow-on-the-mountain, 389
- Snowdrops. *see* Galanthus
- Snowflake, summer. *see* Leucojum
- Soaker hoses, 148
- Soaps, insecticidal, 180
- Sod, lawn establishment with, 429–430
- Sod webworms, 460
- Soil, 5–12
amendment with compost, 110–111, 140
colloids, 6
compaction, 342–344, 447–449
components of, 5
fumigation, 495
pH, 8, 10–12, 48
types of, 5
water holding capacity of, 6
- Soil mixes. *see* Potting soils
- Soil testing, 25
for lawns, 425, 434–435
for ornamentals, 351–352
for vegetable gardens, 140, 173
- Soilborne diseases, 189, 190–191
- Soilless media. *see* Starter media
- Solidago, 417
- Soluble salt buildup, 474
- Sooty mold, 69
- Sourwood (*Oxydendrum arboreum*), 326
- South Carolina plant hardiness map, 339
- Southern blight, 189, 190, 192
- Southern green stink bugs, 57, 156, 181
- Southern peas, 499
- Sowbugs, 60, 102, 461
- Spanish bayonet (*Yucca aloifolia*), 315
- Spanish bluebell. *see* Hyacinthoides
- Spanish moss, 63
- Speedwell, 417
- Spider lily. *see* Hymenocallis
- Spider mites, 59, 181, 479
- Spiders, 52*t*, 54, 59, 102, 179
- Spinach, 182, 508
- Spirea, 375
Anthony Waterer (*Spiraea x bumalda* cv. Anthony Waterer), 300
Billiard (*Spiraea billiardii*), 308
Bridalwreath (*Spiraea prunifolia* cv. Plena), 320
Double Reeves (*Spiraea cantoniensis* cv. Lanceata), 308
Ovalifolia Japanese (*Spiraea japonica* cv. Ovalifolia), 301
Snowmound (*Spiraea nipponica* cv. Snowmound), 301
Thunbergii (*Spiraea thunbergii*), 308
Vanhoutte (*Spiraea x vanhouttei*), 320
- Spirea, false, 411
- Spiroplasmas, 69
- Spittlebugs, 460
- Spores, 67
- Sprayers
for application of pesticides, 90, 188
calibration of, 91–92
cleaning, 92
- Spreaders
for application of pesticides, 90–91
calibration of, 441–442
types of, 439–442
- Sprigs, lawn establishment with, 430–431
- Spring dead spot, 467–468
- Springtails, 102, 479
- Sprinklers, 148, 445–446
- Spruce, 375
- Spur, 30
- Spurge, Japanese (*Pachysandra terminalis*), 287, 414
- Squash, 166
diseases and insects, 181, 183–184, 192, 502–503
lack of pollination, 174
- Squash bug, 57, 60, 183
- Squash vine borer, 183
- St. Augustinegrass, 424–425, 466–467, 468
- St. John's Wort
Hypericum calycinum, 285
Hidcote (*Hypericum patulum* cv. Hidcote), 300
Mosers (*Hypericum x moseranum*), 300
- Staking, 357, 409
- Stamen, 38
- Starflower. *see* Ipheion
- Starter media, 119, 145
- Statice, 389
- Stem rot, 189
- Stems, 29–31
propagation from, 123–124
structure of, 29
types of, 30–31
- Sternbergia, 404
- Stink bugs, 57, 156, 181
- Stock, 389
- Stokesia, 417
- Stolon, 30, 419, 430–431
- Stomates, 32, 44–45
- Stratification of seeds, 119
- Strawberries, 196, 246–251
annual hill system, 249
diseases, 249–251, 521

Index - Master Gardener's Training Manual

- Strawberries (*cont.*)
 matted row system, 248–249
 variety selection, 198, 247, 247t
- Strawflower, 389
- Succulents, 476, 483
- Sulfur, 16
 in adjustment of soil pH, 12
 deficiency symptoms, 13t
- Summer-cypress, 389
- Sunflower, 389, 412
- Sunflower, Mexican, 387
- Sunlight. *see* Light
- Swamp sunflower, 412
- Sweet alyssum, 384
- Sweet corn. *see* Corn
- Sweet pea, 389
- Sweet potatoes, 182, 508
- Sweetbox (*Sarcococca hookerana* cv. *Humilis*), 288
- Sweetgum, American (*Liquidambar styraciflua*), 332
- Sweetshrub (*Calycanthus floridus*), 316
- Sycamore (*Platanus occidentalis*), 334
- Synergism, 95
- Systemic herbicides, 82
- T**
- Tall gayfeather, 413
- Tank sprayer, 90
- Taproot, 37
- Taxonomy
 of insects, 51–52, 52t, 55–58
 of plants, 27
- Tea olive
 curlyleaf (*Osmanthus heterophyllus* cv. *Rotundifolius*), 314
 Delavay (*Osmanthus delavayi*), 305
 fragrant (*Osmanthus fragrans*), 313–314
 holly (*Osmanthus heterophyllus*), 314
- Tea plant (*Camellia sinensis*), 302
- Teaching methods, 551–554
- Telephone tips, 540
- Television techniques, 550–551
- Temperature, 118
 damage from extremes of, 73–74
 effect on germination, 121
 effect on growth, 46–47
 needs of indoor plants, 473
- Terrariums, 483, 484
- Thatch, 116, 446, 449–451
- Thermoperiod, 47
- Thrift (*Phlox subulata*), 287
- Thrips, 58, 183, 186
- Thyme, 288, 417
- Thysanoptera, 58, 59f
- Tissue culture, 134
- Tobacco mosaic virus, 178, 191
- Tomato hornworm, 179, 187
- Tomatoes, 166–169, 187–188, 190–191
 blossom-end rot, 168, 173, 509
 diagnostic key for problems, 508–511
 disease resistant varieties, 166–167, 190
 diseases, 190–191, 508–511
 insect pests, 180, 181, 182, 187–188, 511
 leaf roll, 174
 setting out transplants, 146
 splitting of fruit, 174
- Topdressing, 116
- Topiary, 483
- Torenia, 389
- Transpiration, 44–45
- Transplants. *see also* Seedlings
 annual flowers, 382
 growing from seeds, 120–121, 144–145, 382
 setting out, 121–122, 146, 167
 tomato, 167
 vegetables, 144–146
- Trees, 31, 379–417. *see also specific species*
 choosing size of, 344–345
 declines in species, 74–75
 diagnostic key for problems, 522–533
 distance from buildings, 265, 341
 establishment care of, 352–358
 fertilization of, 358–363
 in landscape design, 264, 279
 large species, 330–337
 methods of production, 345–347
 mulching, 375–378
 planting, 350–354
 pruning, 365–368, 370–371
 selecting nursery grown, 345–350
 small species, 321–328
- Trellis systems for grapes, 238–239, 243–245
- Trenching (double digging), 142
- Trumpet vine (*Campsis radicans*), 280, 292
- Tuber, 30, 395
- Tuberose. *see* Polianthes
- Tuberous begonia, 400–401
- Tuberous root, 30, 395
- Tulip, 404, 537
- Tuliptree (*Liriodendron tulipifera*), 333
- Tupelo, black (*Nyssa sylvatica*), 333
- Turfgrasses, 419–468. *see also specific grasses; Lawns*
 adaptations and characteristics of, 422t, 423t
 cool season, 421, 423t
 disease resistant cultivars, 464
 identification of, 419–425, 420t
 overseeding of, 421
 selection of, 419–425
 warm season, 421–425, 422t
- Turnips, 181, 184, 191, 500
- U**
- Umbel, 39
- Understock, 128
- Unslaked lime. *see* Calcium oxide
- Urea, 13–14
- V**
- Variegation, 63
- Vascular parasitic plants, 69
- Vascular system, 29, 37, 64, 70
- Vector, 54, 61–62, 69
- Vegetables, 137–193. *see also specific crops*
 container gardening, 151–152
 cool season vs. warm season, 139–140
 diseases, 171, 173–174, 188–192, 496–511
 germination requirements, 118t
 insect pests, 180–188, 496–511
 insecticide application to, 188
 intensive gardening methods, 149–151
 irrigation methods for, 148
 nutrient deficiencies, 173
 planning the garden, 137–140
 planting, 141t, 147t, 150t
 saving seeds, 143–144
 soil preparation, 140, 142–143
 starting from seeds, 143–148
 transplants, 144–146
 weed control, 174–177
- Verbena
 annual, 389
 perennial, 417
- Vermicomposting, 111–113, 116
- Vermiculite, 475
- Veronica, 417
- Verticillium wilt, 190
- Viburnum, 375. *see also* Laurustinus
 Burkwood (*Viburnum burkwoodii*), 321
 Chinese snowball (*Viburnum macrocephalum*), 321
 Doublefile (*Viburnum plicatum* var. *tomentosum*), 321
 European snowball (*Viburnum opulus* cv. *Roseum*), 321
 Japanese (*Viburnum japonicum*), 315
 Koreanspice (*Viburnum carlesii*), 308
 Leatherleaf (*Viburnum rhytidophyllum*), 315
 Rusty blackhaw (*Viburnum rufidulum*), 328
 Sandankwa (*Viburnum suspensum*), 306
 Wright (*Viburnum wrightii*), 321
- Vinca, annual, 389
- Vinca spp., 289
- Vines, 31. *see also specific plants*
 annual flowering, 391
 deciduous, 292–293
 evergreen, 289–291
 in landscape design, 279–280
 pruning, 371
- Virginia creeper (*Parthenocissus quinquefolia*), 293
- Virginsbower (*Clematis virginiana*), 292
- Viroids, 69
- Virus diseases, 61, 69, 71–72. *see also* Mosaic viruses
- W**
- Wall germander (*Teucrium chamaedrys*), 288
- Wallflower, 389
- Walnuts, 260–261
- Wasps, 57, 461
- Water
 conservation with xeriscaping, 266

Index - Master Gardener's Training Manual

- Water (*cont.*)
in disease production, 72–73
holding capacity of soil, 6
in photosynthesis, 43–44
in plant physiology, 47
- Watering. *see also* Irrigation
indoor plants, 473
vegetable container plants, 152
- Watermelons. *see* Melons
- Wax begonia, 384
- Waxmyrtle, southern (*Myrica cerifera*),
313, 375
- Webworms, 222, 460
- Weeds, 79–83
control in lawns, 452–455
control in vegetables, 174–177
destruction of seeds in composting, 100
herbicide use, 81–83
types of, 79–81
- Weevils, 56, 60, 61
- Weigela
Weigela florida, 321
Bristol ruby (*Weigela florida* cv. Bristol
Ruby), 308
- White grubs, 186–187, 459
- Whiteflies, 57, 183, 188, 479
- Willow, 281
Corkscrew (*Salix matsudana* cv.
Tortuosa), 328
Pussy (*Salix caprea*), 327
weeping (*Salix babylonica*), 335
- Wilt, 67, 70
Fusarium, 190, 192
-resistant tomato varieties, 166–167,
190
Verticillium, 190
- Winter aconite. *see* Eranthis
- Winterberry (*Ilex x verticillata*), 319
- Wintercreeper (*Euonymus fortunei*), 284
- Wintercreeper *Euonymus* (*Euonymus
fortunei*), 290
- Wintersweet, fragrant (*Chimonanthus
praecox*), 317
- Wireworm, 187
- Wisteria, 375
Chinese (*Wisteria sinensis*), 280, 293
Japanese (*Wisteria floribunda*), 293
native (*Wisteria frutescens*), 280
- Witchhazel, 375
Chinese (*Hamamelis mollis*), 318
common (*Hamamelis virginiana*), 318
- Wood ashes in adjustment of soil pH, 12
- Woody ornamental plants, 283–337, 339–
378. *see also specific plants*;
Ground covers; Shrubs; Trees;
Vines
diagnostic key for problems, 522–533
establishment care of, 352–358
fertilization of, 358–363
mulching, 375–378
plant quality evaluation, 344–350
plant selections of, 283–337
planting, 352–354
pruning, 363–375
soil considerations, 341–343
transportation and storage of, 350–351
- Worms, composting with, 102–103, 111–
113, 116
- Writing tips, 540–543
- X
- Xeriscaping, 266
- Xylem, 29
- Y
- Yarrow, common, 410
- Yaupon holly. *see* Holly, Yaupon
- Yew
columnar plum (*Cephalotaxus
harringtonia* cv. *Fastigiata*), 309
Japanese (*Podocarpus macrophyllus*),
314
prostrate false (*Cephalotaxus
harringtonia* cv. *Prostrata*), 295
spreading plum (*Cephalotaxus
harringtonia* var. *drupacea*), 302
- Yucca
Adam's needle (*Yucca filamentosa*),
289
moundlily (*Yucca gloriosa*), 306
Spanish bayonet (*Yucca alofolia*), 315
weakleaf (*Yucca flaccida*), 289
- Z
- Zelkova, Japanese (*Zelkova serrata*), 337
- Zephyranthes, 404
- Zinc, 16
deficiency symptoms, 13*t*
pecan requirements, 221–222
- Zinnia, 389, 537
- Zone map of South Carolina, 339
- Zoysiagrass, 424, 466–467