

## CVDC Test Frequency

For emergency test requests, please contact the lab at 803 726-7831.  
Sample Drop Off: M – F 8:00am – 6:30pm, Saturday 10:00am – 2:00pm.

	Day(s) Sample / Batch* Run	Cut off Time	Turn Around Time**	Sample Type
<b>Serology</b>				
Equine Infectious Anemia (EIA)	M, Tu, W, Th, F	1:00pm	1 Day	Serum
Equine Infectious Anemia ELISA (Same Day)	M, Tu, W, Th, F	12:00pm	Same Day by 4:30pm	Serum
Equine Infectious Anemia ELISA (2 hour)	M, Tu, W, Th, F	12:00pm	2 Hours after drop-off	Serum
Neospora IFA	As Needed	10:00am	1 - 2 Days	Serum
Brucella Canis IFA	As Needed	10:00am	1 - 2 Days	Serum
Avian Influenza AGID	M, Tu, W, Th	10:00am	3 – 5 Days	Serum
Mycoplasma gallisepticum / synoviae Combo ELISA	Wednesday	10:00am	7 Days	Serum
Mycoplasma gallisepticum / synoviae Plate Test	M, Tu, W, Th, F	10:00am	1 - 2 Days	Serum
Infectious Bronchitis , Infectious Bursal Disease, Newcastle Disease Virus, Reovirus ELISA	Thursday	10:00am	7 Days	Serum
Brucellosis (BAPA)	Usually Friday	10:00am	7 Days	Serum
Bovine Viral Diarrhea ELISA	As Needed	10:00am	1 – 2 Days	Serum / Ear Notch
Bovine Viral Diarrhea SNAP test	M, Tu, W, Th, F	10:00am	1 – 2 Days	Serum / Ear Notch
Salmonella Pullorum Microagglutination	M, Tu, W, Th	10:00am	1 – 2 Days	Serum
Blue Tongue AGID	M, Tu, W, Th	10:00am	1 – 2 Days	Serum
Bovine Leukosis Virus ELISA	M, Tu, W, Th	10:00am	1 – 2 Days	Serum
CAE / OPP ELISA	M, Tu, W, Th	10:00am	1 – 2 Days	Serum
Rota / Corona / E.coli / Crypto ELISA	M, Tu, W, Th, F	10:00am	1 – 2 Days	Feces
Johne's ELISA	As Needed	10:00am	1 – 2 Days	Serum
Anaplasma ELISA	As Needed	10:00am	1 – 2 Days	Serum
Infectious Bovine Rhinotracheitis IFA / FA	As Needed	10:00am	1 – 2 Days	Serum / Fresh Liver, Lung
Bovine Respiratory Syncytial Virus IFA / FA	As Needed	10:00am	1 – 2 Days	Serum / Fresh Lung
Miscellaneous IFA / FA	As Needed	10:00am	1 – 2 Days	Serum

With the exception of Tritrichomonas sample submissions, it is recommended to ship samples on ice or cold packs.

\* Batch is defined as the number of samples analyzed continuously or together in a group.

\*\* Turnaround time may vary depending on State holidays and weekends.

## CVDC Test Frequency

For emergency test requests, please contact the lab at 803 726-7831.  
 Sample Drop Off: M – F 8:00am – 6:30pm, Saturday 10:00am – 2:00pm.

	Day(s) Sample / Batch* Run	Cut off Time	Turn Around Time**	Sample Type
<b>Microbiology</b>				
Aerobic Bacterial Culture and Sensitivity	M, Tu, W, Th, F	2:00pm	4 Days	Fresh Tissue, Swab, Urine, Feces
Aerobic Bacterial Culture	M, Tu, W, Th, F	2:00pm	2 – 3 Days	Fresh Tissue, Swab, Urine, Feces
Anaerobic Bacterial Culture	M, Tu, W, Th, F	2:00pm	2 – 3 Days	Fresh Tissue, Anaerobic Transport, Swab
Campylobacter Culture	M, Tu, W, Th, F	2:00pm	14 Days	Fresh Tissue, Culturette
Dermatophyte Culture	M, Tu, W, Th, F	2:00pm	14 Days	Hair, Nail, Swab
Aspergillus Fungal Culture	M, Tu, W, Th, F	2:00pm	3 Days	Fresh Lung
Listeria Culture	M, Tu, W, Th, F	2:00pm	2 – 3 Days	Swab, Fresh Tissue
Milk Culture	M, Tu, W, Th, F	2:00pm	2 – 3 Days	Milk, Swab
Raw Milk Pathogen Test (Culture)	M, Tu, W, Th, F	2:00pm	14 Days	Milk
Mycoplasma Culture	M, Tu, W, Th, F	2:00pm	14 Days	Fresh Tissue, Swab
Drag Swabs (Salmonella Culture)	M, Tu, W, Th	2:00pm	5 – 7 Days	Drag Swab
Salmonella Culture	M, Tu, W, Th, F	2:00pm	7 Days	Swab, Feces, Fresh Tissue

With the exception of Trichomonas sample submissions, it is recommended to ship samples on ice or cold packs.

\* Batch is defined as the number of samples analyzed continuously or together in a group.

\*\* Turnaround time may vary depending on State holidays and weekends.

## CVDC Test Frequency

For emergency test requests, please contact the lab at 803 726-7831.  
Sample Drop Off: M – F 8:00am – 6:30pm, Saturday 10:00am – 2:00pm.

	Day(s) Sample / Batch* Run	Cut off Time	Turn Around Time**	Sample Type
<b>Molecular</b>				
Mycoplasma gallisepticum / synoviae (MG/MS) PCR	Thursday	10:00am	7 Days	Swabs (Oropharyngeal / Tracheal) in PBS (dry swab OK) or Trachea
Avian Influenza (AI), Newcastle Disease Virus (NDV), Influenza A PCR	Wednesday	8:00am	7 Days	Swabs (Oropharyngeal / Tracheal) in BHI or Trachea
Leptospira spp. PCR	As Needed	10:00am	2 Days	Fresh Tissue (Kidney / Liver), Whole Blood, Urine
Equine Herpes Virus – 1 PCR	As Needed	10:00am	2 Days	Whole Blood or Nasal Swab
Johne's PCR	As Needed	10:00am	2 Days	Feces
Bovine Viral Diarrhea (BVD) Type 1 & 2 PCR	As Needed	10:00am	2 Days	Serum, Ear Notch
BVD Bulk Milk	As Needed	10:00am	2 Days	Milk
Infectious Laryngotracheitis (LT) PCR	As Needed	10:00am	2 Days	Swabs (Oropharyngeal / Tracheal) in PBS (dry Swab OK) or Trachea
Trichomonas Foetus PCR	1 Day after Received	M, Tu, W, Th morning	2 Days	Preputial Wash (Pouch / Tube)
Bovine Respiratory Panel PCR	As Needed	10:00am	2 Days	Deep Nasal / Tracheal Swab or Tracheal and Bronchoalveolar Flued or Lung Tissue
West Nile Virus PCR	As Needed	10:00am	2 Days	Fresh Brain Tissue

With the exception of Trichomonas sample submissions, it is recommended to ship samples on ice or cold packs.

\* Batch is defined as the number of samples analyzed continuously or together in a group.

\*\* Turnaround time may vary depending on State holidays and weekends.

## CVDC Test Frequency

For emergency test requests, please contact the lab at 803 726-7831.  
 Sample Drop Off: M – F 8:00am – 6:30pm, Saturday 10:00am – 2:00pm.

	Day(s) Sample / Batch* Run	Cut off Time	Turn Around Time**	Sample Type
<b>Pathology</b>				
Biopsy	M, Tu, W, Th, F	3:00pm	1 - 2 Days	Formalin Fixed Tissue / Fresh tissue
Cytology	M, Tu, W, Th, F	3:00pm	1 - 2 Days	Fluids / Smears
Necropsy	M, Tu, W, Th, F	2:00pm	1 - 3 Days (Preliminary Report)	Whole Body, Fresh Tissue

With the exception of Tritrichomonas sample submissions, it is recommended to ship samples on ice or cold packs.

\* Batch is defined as the number of samples analyzed continuously or together in a group.

\*\* Turnaround time may vary depending on State holidays and weekends.